Originally published as:

Heidbach, O., Tingay, M., Wenzel, F. (2010): Frontiers in Stress Research : Preface. - Tectonophysics, 482, 1-4, 1-2

DOI: [10.1016/j.tecto.2009.11.009](https://doi.org/10.1016/j.tecto.2009.11.009)

Preface

Frontiers in Stress Research

1. Introduction

Knowledge of the stress state and its link to deformation is important for a wide range of practical applications, including the stability of underground openings, enhancing productivity from hydrocarbon and geothermal reservoirs and seismic hazard assessment. Stress information is also critical for resolving questions related to the driving forces of plate tectonics and intraplate deformation. The systematic global compilation of in-situ stress information began in 1986 with the World Stress Map (WSM) project as a Task Force of the International Lithosphere Program (ILP) under the leadership of Mary Lou Zoback. The ILP was established in 1980 by the International Council of Scientific Unions (ICSU) at the request of the International Union of Geological Sciences (IUGS) and the International Union of Geodesy and Geophysics (IUGG). In 2008 the WSM project was appointed as a member of the Federation of Astronomical and Geophysical Data Analysis Services (FAGS) that is currently transferred to the new ICSU World Data Service (<http://wds.geolinks.org>).

First results of the WSM project were presented in 1992 in a special volume of the *Journal of Geophysical Research* (Zoback, 1992). The 1992 WSM database release contained 7300 data records. From May 1995 to December 2008 the WSM continued as a research project of the Heidelberg Academy of Sciences and Humanities located at the

Geophysical Institute of the Universität Karlsruhe, Germany. The current 2008 WSM database release contains 21,750 stress data records (Heidbach et al., this issue). The WSM database release 2008, its detailed description and a service to plot user-defined stress maps are provided at <http://www.world-stress-map.org>.

This special issue *Frontiers in Stress Research* is an assemblage of papers that have been presented at the 3rd World Stress Map conference in Potsdam, Germany, 15–17. October 2008. The strategic aim of the conference was to announce the transition of the WSM as a research project of the Heidelberg Academy of Sciences and Humanities to the GFZ German Research Centre for Geosciences. Here, the future of the WSM project is secured as the GFZ has agreed to incorporate the WSM project into its research structure and will provide resources for ongoing maintenance and development.

2. This volume

Following the three main objectives of the 3rd World Stress Map conference, the special issue aims to present modern concepts on stress and strain measurement techniques, analysis of stress information and integrated regional studies including numerical modelling. Thus, the special issue is divided into three sections. The first section focuses on

Fig. 1. Global stress map based on the WSM database release 2008 using the 11,346 stress data records with A–C quality, but excluding all possible plate boundary events (PBE) (Heidbach et al., this issue). Lines represent the orientation of maximum horizontal compressional stress S_H , line length is proportional to data quality. Colours of the symbols indicate stress regimes with red for normal faulting (NF), green for strike-slip faulting (SS), blue for thrust faulting (TF), and black for unknown regime (U). Boxes indicate regional stress studies in this special issue.

stress and strain measurement, analysis and interpretation. It begins with the paper of Heidbach et al. on the revised quality ranking scheme of the WSM project, the new WSM database release 2008 (Fig. 1) and a global statistical wave-length analysis of the contemporary crustal stress pattern. The following articles deal in detail with new advancements in measurement techniques such as the methods for interpreting stress orientations from volcanic vent alignments (Paulsen and Wilson, this issue) and the measurement of present-day stress in the Taiwan Chelungpu-fault Drilling Project (Haimson et al., this issue; Lin et al., this issue).

The second section comprises a number of regional studies of the stress pattern in regions where stress information was either sparse or non-existent, such as the compilation of the first stress map of the Sunda plate in Southeast Asia (Tingay et al., this issue). Fig. 1 displays the location of these studies. Most of the new stress data presented in these papers is included in the 2008 WSM database release except for the new data in Great Britain (Baptie, this issue) and Italy (Barba et al., this issue) that will be added to the next WSM database release.

The third section is dedicated to numerical modelling of tectonic stresses. Modelling can provide an important tool for predicting the state of stress in regions of sparse geological data and near geological features. Furthermore, only numerical modelling can unravel the open question of the stress sources and the geodynamic processes that drive plate tectonics. However, the quality of the model results depends on the number and quality of model-independent constraints, such as stress and strain observations. Thus, one of the future challenges is to combine stress models with the rapidly increasing observations of Earth's surface deformation through satellite geodetic techniques such as GPS, InSAR and Persistent Scatterer InSAR. In this sense this section presents the results from models that simulate the contemporary strain-rate and the crustal stress state and their changes on a wide range of spatial and temporal scales. For example, Flesch and Kreemer (this issue) present a model that links the gravitational potential energy to the stress observations of the World Stress Map and the strain derived from GPS velocities.

3. Thanks to reviewers

This special issue could not have been produced without the effort and expertise of the reviewers of the articles herein. We thank

Rick Allmendinger	Marek Jarosinski
Brian Baptie	Myra Keep
Salvatore Barba	Marie Keiding
Andreas Barth	Rosalind King
William Bosworth	Achim Kopf
Hans-Peter Bunge	Ane Lothe
Evgenii Burov	Björn Lund
Alessandro Caporali	Anna Maria Marotta
David Castillo	Andrew Michael
Jean Chery	Stephen Miller
Sierd Cloetingh	Paola Montone
David Coblenz	Chris Morley
Kurt Decker	Birgit Müller
Bertrand Delouis	Suleyman Nalbant
Damien Delvaux	John Reinecker
David Dewhurst	Scott Reynolds
Bogdan Enescu	Roberto Sabadini
Marcus Fabian	Mike Sandiford
Claudio Facenna	Miguel Santoyo
Sören Gregersen	Blanka Sperner

Gottfried Grünthal	Ove Stephansson
Bezalel Haimson	Dietrich Stromeier
Jeanne Hardebeck	John Suppe
Andreas Henk	John Townend
Richard Hillis	Rongjiang Wang
Klaus Hinzen	Malte Westerhaus
Ferenc Horváth	Adrian White
Giampiero Iaffaldano	David Yale
Alik Ismail-Zadeh	Najwa Yassir

Acknowledgments

The WSM project is a collaborative project that would not be possible without the effort of many scientists worldwide. We are indebted to numerous individual researchers and working groups all over the world for providing stress data. In particular we would like to thank Birgit Müller as one of the key senior scientists of the WSM project since its beginning for her enthusiasm and the great effort she has put into the WSM project. We also thank the WSM advisory board members Egon Althaus, John Cook, Roy Gabrielsen, Domenico Giardini, Onno Oncken, Christoph Reigber, Eckard Macherauch, Markus Rothacher, Eugen Seibold, Mark Zoback, Mary Lou Zoback and its two advisory board heads Philipp Hartl (1995–2001) and Helmut Kipphan (2002–2008) for their long-term and ongoing support of the project.

In particular the WSM project is indebted to the Heidelberg Academy of Sciences and Humanities. The WSM project was a research project of the Heidelberg Academy of Sciences and Humanities from 1995–2008 headed by Karl Fuchs (1995–2001) and Friedemann Wenzel (2002–2008). In this period we received generous support and the project could develop and become the internationally accepted database for contemporary stress information for industry and academy likewise.

Furthermore we would like to thank, Jean-Paul Cadet and Philippe Rossi from the Commission for the Geological Map of the World (CCGM), the International Lithosphere Program and its Task Force VII Temporal and Spatial Changes of Stress and Strain that both supported to a large extent the dissemination of the WSM project amongst the international scientific community. Special thanks goes to Karl Fuchs who has always been a great supporter of the WSM project and who initiated the project during his presidency of the ILP in the mid eighties.

Oliver Heidbach
Guest editor
GFZ German Research Centre for Geosciences, Telegrafenberg,
14473 Potsdam, Germany
Corresponding author. Tel.: ++49 331 288 2814
Fax: ++49 331 288 1127
E-mail address: heidbach@gfz-potsdam.de

Mark Tingay
Guest editor
Department of Applied Geology, Curtin University Perth 6845, Australia
E-mail address: M.Tingay@curtin.edu.au

Friedemann Wenzel
Guest editor
Geophysical Institute, Karlsruhe Institute of Technology,
Hertzstr. 16, 76185 Karlsruhe, Germany
E-mail address: friedemann.wenzel@kit.edu

16 November 2009