

In the index reference is made to the **chapters** and related **annexes** in **bold** numbers or **letters**, respectively, followed by the page numbers where the key word appears. Numbers underlined refer to pages where definitions or main explanations of the terms are given. If an annexed paper is specifically dealing with the key word issue, no pages numbers are given.

- acceleration (see Glossary) **3:** 7, 15, 45, 86-87; **4:** 4-8; **5:** 2, 13-18, 20-21, 24-28, 34, 37, 40-41, 44; **6:** 4-5; **7:** 7, 15, 45, 86-87; **11:** 41; **12:** 20; **EX 4.1:** 4-6
- accelerometer **5:** 24-25, 44; **7:** 48-49, 61, 86-90, 92-93, 96-97, 100-102, 105-107; **8:** 3-7, 18, 30, 33, 38; **11:** 40; **EX 5.5:** 1
- aftershock **2:** 6, 68-68; **3:** 53, 80, 87; **7:** 61; **8:** 9, 20, 27, 42; **12:** 16; **IS 11.1:** 17, 24-25
- aliasing **6:** 5; **7:** 17; **9:** 23
- alias spectrum **6:** 5-6; **7:** 17
  - anti-alias(ing) filter **5:** 13; **6:** 3, 5-6, 9, 13, 19; **9:** 23; **11:** 41-42
- amplifier **5:** 27, 31-33, 45; **6:** 2, 10-11, 19; **7:** 64, 106; **8:** 17, 56; **IS 5.2:** 2-3
- amplitude
- amplitude-distance relations **2:** 1, 39; **3:** 29, 38, 40; **13:** 30
  - amplitude response (see response)
  - amplitude spectral density **4:** 2, 8; **13:** 3
  - average peak amplitude **4:** 10; **EX 4.1:** 5, 7-8
  - effective filter amplitude **4:** 8
  - instantaneous peak amplitude **4:** 10; **EX 4.1:** 1-2
  - RMS amplitude **4:** 8-10; **EX 4.1:** 1, 3-4; 6-8
- analog-to-digital converter see converter
- anisotropic see medium
- anisotropy **2:** 4, 11, 15, 17, 60; **3:** 2; **7:** 93; **11:** 20
- angle
- dip angle **2:** 35; **3:** 10, 65, 67; **EX 3.2:** 4-6; **EX 3.5:** 1-3
  - incidence angle **2:** 9-10, 26-28, 33, 40, 44, 57; **3:** 64; **9:** 2, 12-13; **11:** 20, 37-38; **13:** 26-28, 31
  - plunge angle **3:** 11, 81; **EX 3.2:** 5, 7; **EX 3.3:** 5-6
  - rake angle **3:** 10-11, 65, 67, 73; **EX 3.2:** 1-4; **EX 3.3:** 1, 4-6; **EX 3.5:** 1-2
  - slip angle see rake angle
  - strike angle (direction) **3:** 10, 65-66; **EX 3.2:** 4-6; **EX 3.5:** 1-3
  - take-off angle **3:** 33, 62-64, 69; **EX 3.3**
- ANTELOPE **8:** 13-14
- anti-plane (rupture propagation; fault geometry) **IS 3.1:** 10, 15, 18
- archiving (of data) **6:** 18; **8:** 13, 15, 54, 57-58; **10:** 6-8, 17; **11:** 5
- array (seismic) **1:** 6, 8, 13, 15-16; **2:** 1, 8, 18, 67; **3:** 51, 83; **4:** 20-22, 26-28, 31; **7:** 75, 86-91, 97, 102, 105-107; **8:** 13, 31; **9:** all Chapter; **10:** 8, 10; **11:** 2-6, 9, 14, 31-35, 38-39, 41-42, 48, 51-52, 54, 56-59, 71, 79, 98; **13:** 1, 18-21, 26, 31-35, 38, 40; **EX 11.2:** 1; **IS 5.1:** 5
- array analysis **9:** 9; **11:** 2, 80; **13:** 32, 34-35

- array aperture **9: 9; 11: 51**
- array beamforming **9: 2-3, 7-9, 15-18, 22, 26-27, 29, 31, 35-36, 41, 44; 11: 39, 56, 58; 13: 31**
- array beampacking **9: 26, 29-31, 45**
- array design **9: 3, 26, 36, 39-41**
- array examples **9: 3-7**
- array gain **9: 26, 36-37, 39-41**
- array installation **7: 88-91; 8: 3; 9: 3, 15**
- array planning **7: 87, 89-93**
- array polarization **13: 33**
- array processing **8: 13; 9: 1-3, 41; 11: 2, 56**
- array response (transfer function) **9: 27**
- strong-motion array **7: 86-89; 8: 3**
- asthenosphere **2: 13, 32; 11: 16**
- atmosphere **3: 4; 5: 29**
- attenuation **1: 12; 2: 7, 13, 20-21, 23, 37-38, 44, 62-65; 3: 8-9, 19, 23-26, 29-30, 33-35, 38-41, 44, 49, 51-52, 57, 70; 4: 1, 19-20; 7: 15, 23, 42, 45, 76-77; 8: 52; 9: 16, 24; 11: 11, 14, 16, 19, 61, 67; 12: 2, 13, 17-18, 19; 13: 4; EX 5.1: 1**
- attenuation law **3: 24, 40; 7: 15**
- attenuation (Q-) model **3: 34-35, 39-41, 70**
- attenuator **EX 5.2: 2**
- intensity attenuation **12: 2, 13-14, 17-19**
- intrinsic attenuation **2: 13, 37-38**
- noise attenuation **7: 76-77**
- scattering attenuation **2: 37**
- automatic analysis **9: 1; 13: 34**
- auxiliary plane **see plane**
- azimuth **2: 69; 3: 5, 11, 19, 22, 28, 58-60, 63-64, 66, 69, 78-79, 81; 4: 21-22, 31-32; 7: 25, 64, 81-82; 8: 42; 9: 2, 9, 25, 33-34, 38; 10: 4; 11: 1-2, 4, 7, 10, 22, 31, 34-39, 51, 56, 60, 63, 66-67, 99-100; 13: 19, 26-28, 31-32; EX 3.2: 1-3, 5, 7; EX 3.3: 1, 4-6; EX 11.1 11: 37-39, 58, 60, 63; EX 11.2: 1, 3-4; EX 11.3: 3, 5**
- (back) azimuth determination **11: 37-39, 58, 60, 63; EX 11.2: 1, 3-4; EX 11.3: 3, 5**
- backazimuth **2: 10-11, 16-17, 57; 4: 21, 31; 9: 2, 9-10, 12-13, 15, 17, 19, 22, 26, 28, 31-35, 43-45, 48-49; 11: 3, 10, 14-15, 20, 34-38, 52, 54, 58, 69, 82; 13: 31-33; EX 11.2: 1-5**
- bandwidth **1: 2, 8-9; 2: 13, 64; 3: 17, 39, 49-53, 80; 4: 3, 8-16; 5: 1, 3, 7, 9, 13, 25, 27-28, 34, 39; 6: 6, 13-14, 19; 7: 39-40, 65; 8: 21-22, 26; 11: 8, 10-11, 40-42, 46-47; 13: 22, 40; EX 4.1: 1, 3-8**
- absolute bandwidth **4: 9**
- relative bandwidth **4: 9-10; EX 4.1: 2, 3-8**
- bandwidth extension **5: 27**
- band pass **see filter**

- barometric pressure see pressure
- barycenter see macroseismic data
- beamforming see array
- beampacking see array
- bidding process **8: 47**
- blast (quarry b., mine b.) **2: 18; 9: 33; 11: 24, 28-29, 62, 68**
- Bode-diagram **EX 5.1: 1, 3; EX 5.2: 4; EX 5.5: 1; IS 5.2**
- borehole **2: 22; 4: 22-23, 29-31; 5: 28-29, 41; 7: 13, 26, 28, 39, 46-47, 58, 64, 70-71, 75-107; 8: 3, 29-30, 34, 37; 13: 6, 35-3**
- bore accelerometer **7: 89-90, 92-93, 100-102, 107**
  - borehole core **7: 98-99**
  - borehole drilling **7: 94, 102**
  - borehole installation **4: 30-31; 7: 39, 58, 64, 75-78, 80-83, 92-93; 8: 37**
  - borehole instrument(ation) **7: 77, 83-84, 93**
  - borehole location **7: 89-90, 93, 95-96, 102**
  - borehole tiltmeter **13: 35-36**
  - borehole seismometer **7: 79-80, 83-84**
  - borehole specification **7: 78**
  - borehole wave **13: 6**
- boundary **2: 25-26, 31-35, 41, 47-48, 59-60; 3: 30, 64, 88; 8: 6; 11: 20, 25, 33, 75, 82, 89, 98**
- core-mantle boundary (CMB) **2: 25, 32, 41, 47-48, 59-60, 62; 3: 30; 11: 20, 25, 33, 75, 88-89, 98; EX 11.3: 2; IS 2.1: 4, 8, 12**
  - crust-mantle boundary (Moho discontinuity) **2: 12, 14, 17, 25, 44-45, 47-48, 67; 11: 61, 63-64, 67-68; EX 11.1: 1, 3; IS 2.1: 4-7, 11**
  - inner-core boundary (ICB) **2: 25, 32, 62; 11: 80, 87; EX 11.3: 2, 12; IS 2.1: 4, 12**
- bulk modulus **2: 3-4, 8, 13, 32**
- bulletin **1: 16; 2: 58; 7: 8; 8: 58-59; 9: 2-3; 11: 1, 5, 23; IS 2.1: 1; IS 10.1; IS 10.2; IS 11.2**
- CALEX (program) **5: 38-40, 42, 45; EX 5.4: 1-3; PD 5.2**
- CALIBRAT (program) **5: 45; PD 5.1**
- calibration (of seismometers and geophones) **1: 12, 14, 16; 5: 1-3, 13, 26, 34-45; 7: 107; 8: 3, 53-54, 56-57; 10: 11-12; 11: 10; 12: 12; EX 5.2-5.4; PD 5.1-5.5; IS 5.1: 4**
- calibration by harmonic drive **EX 5.2: 4; EX 5.3**
  - calibration coil **5: 2, 34-37, 40, 45; EX 5.2: 1, 4, 6; EX 5.3: 1; DS 5.1: 2-10**
  - calibration current **5: 13, 35, 40; EX 5.2: 1, 4, 6; EX 5.3: 1**
  - calibration signal **EX 5.4: 2-3**
  - calibration of regions **11: 31**
  - calibration by stepwise motion (impulse calibration) **5: 42, 45; EX 5.2**
  - mechanical calibration **5: 34-35, 41-44**
- calibration function see magnitude

## Index

- caustic **2:** 26, 29-33, 37, 39-40, 49, 67; **3:** 35; **11:** 18, 22, 33, 37, 80, 83, 87, 99; **IS 2.1:** 9
- centroid moment tensor (CMT) **3:** 79; **EX 3.2:** 6-7; **EX 3.3:** 4; **IS 11.1:** 28
- circle and chord method **11:** 39; **EX 11.1**
- coda (waves) **2:** 38, 42, 44, 65; **3:** 28, 43, 53; **9:** 6-8, 19-21; **11:** 7-8, 61, 74; **DS 11.1:** 2
- coda Q ( $Q_c$ ) **EX 3.4:** 1
- coil
- calibration c. (see calibration)
  - coil resistance **5:** 32; **EX 5.2:** 3-6; **EX 5.3:** 3
  - signal coil **5:** 35, 37; **EX 5.2:** 1, 4-6; **EX 5.3:** 1
- compression(al) (signal; first motion)
- compression of data **2:** 2, 5, 7, 9, 21; **3:** 2, 5, 58-59, 63, 74, 77; **10:** 3; **11:** 9-11, 23, 29, 69; **EX 3.2:** 6-7
  - compression (P) quadrant **6:** 16-18; **8:** 25; **10:** 8, 18
- conversion
- analog-to-digital conversion **6:** 3, 6, 9-10, 13, 19; **9:** 23; **10:** 2, 7-8, 11, 14 17; **11:** 17, 20, 60, 64; **12:** 11; **EX 5.5:** 1
  - conversion factor of seismographs **6:** 3, 6, 9-10, 13, 19; **9:** 23
  - conversion of data formats and related programs **5:** 2, 25
  - conversion of units **10:** 2, 7-8, 11, 14, 17-20; **11:** 60
  - conversion of wave modes **4:** 1, 3, 6, 8; **PD 4.1**
- converter
- analog-to-digital converter (ADC) **2:** 12, 17, 24, 32-33, 42, 48, 57; **11:** 17, 20, 64
  - digital-to-analog converter (DAC) **3:** 27; **4:** 7; **6:** 2-3, 6, 9-11, 14, 18-20; **7:** 73; **8:** 8, 16-17; **10:** 17, 20; **13:** 1, 23, 40
- couple
- double couple (mechanism, source, solution) **6:** 2, 9-11, 19-20; **7:** 73; **8:** 16; **13:** 1, 23, 40
  - force couple **6:** 11, 19;
  - single couple **2:** 7; **3:** 51, 59-61, 69-71, 73-74, 77-79, 81; **13:** 1, 4-5, 10; **EX 3.5:** 2; **IS 3.1:** 11
- core (Earth's core)
- double couple (mechanism, source, solution) **3:** 72; **IS 3.1:** 7
  - force couple **3:** 73
  - single couple **2:** 7, 25, 32, 35, 38, 41, 47-52, 59-60, 62, 67; **3:** 30, 35, 42; **8:** 6; **11:** 5, 14, 18, 20, 25, 33, 75-77, 79-81, 83, 87, 89, 95, 96, 98-99
  - core phases see phases
  - core-mantle boundary see boundary
  - inner core **2:** 7, 21, 25, 32, 38, 47, 60, 62; **11:** 80, 83, 87; **IS 2.1:** 3-5, 9-10
  - inner-core boundary see boundary
  - outer core **2:** 32, 38, 47, 49, 60, 62, 67; **3:** 30
- corner frequency see frequency
- cost (of seismic sensors, systems etc.) **7:** 8, 13, 15, 25, 39-41, 43, 45, 57, 63-64, 68, 74-79, 81, 83-84, 87, 90-92, 95, 97, 102, 107; **8:** 3-5, 7, 10-11, 14-17, 20-22, 27, 33-34, 36-39, 42, 45-46, 48, 55-56, 58; **10:** 1-2; **13:** 19

- crack
- circular crack **3:** 6, 9, 11, 93
  - crack criteria **IS 3.1:** 16
  - crack energy **IS 3.1:** 1
  - crack front **IS 3.1:** 17
  - crack models **IS 3.1:** 9
  - crack propagation **IS 3.1:** 14
  - crack tip **3:**6, 9, 93; **IS 3.1:** 9
  - crack velocity **IS 3.1:** 1, 9
  - shear crack **3:**6, 9, 93; **IS 3.1:** 9, 17
  - tension crack **IS 3.1:** 13, 15
  - tension crack **EX 3.5:** 2; **IS 3.1:** 12
  - tension crack **EX 3.5:** 2; **IS 3.1:** 12
  - tension crack **EX 3.5:** 2; **IS 3.1:** 12
  - tension crack **EX 3.5:** 2; **IS 3.1:** 12
- cross-over distance **2:** 34; **11:** 61; **EX 11.1:** 3-4
- crust (Earth's crust) **2:** 1, 4, 6, 12-15, 17-18, 20, 25, 29, 31-32, 38, 42-46, 48, 62, 65, 67-68; **3:** 2, 4, 19, 23-24, 28-29, 31, 36, 42, 87-88, 91; **4:** 22; **8:** 6; **9:** 11, 15-16, 33-34; **11:** 14, 17, 22, 24, 26-29, 35, 51, 61, 63-67, 71; **12:** 19; **EX 11.1:** 3; **IS 2.1:** 3-5, 7-8, 11-12
- crustal model **2:** 44-46, 65; **11:** 64, 66, 71; **IS 2.1:** 2, 13
  - lower crust **2:** 12, 44-45; **11:** 63; **IS 2.1:** 13
  - upper crust **2:** 14, 29, 44-45; **9:** 11; **11:** 63; **IS 2.1:** 13
- crustal phases see phases
- crust-mantle boundary see boundary
- crystal chip **6:** 13
- CTBT/CTBTO **1:** 6, 8; **2:** 60; **8:** 28; **9:** 39, 49; **10:** 2, 5, 10-11, 20; **11:** 12, 29, 31, 61, 64, 98
- damping **3:** 24; **4:** 16-18; **5:** 9-10, 13, 15, 23, 26-28, 32, 35-38, 45; **7:** 101, 103; **11:** 10; **EX 5.2:** 1-6; **EX 5.3:** 1; **EX 5.4:** 3; **EX 5.5:** 1; **IS 5.2:** 1-2
- data
- data access **10:** 10; **IS 8.3;** **IS 10.3**
  - data acquisition **1:** 6, 9, 15-16; **3:** 78; **4:** 1; **6:** 10, 15-17, 19; **7:** 17, 47, 50; **8:** 1, 4, 13, 15-18, 22, 27, 40-41, 53-54, 58; **9:** 1; **10:** 7-8, 12, 15; **11:** 4, 42, 70
  - data analysis **1:** 4, 12, 16; **2:** 1, 22-23, 43; **3:** 22; **8:** 49; **9:** 1, 3; **11:** 1-2, 5, 14, 32, 39, 63, 68
  - data archival **10:** 8
  - database **9:** 31, 44-45; **10:** 6-7, 10-11, 13; **11:** 23, 59-60; **12:** 14-15; **IS 2.1:** 1-2
  - data bulletin see bulletin
  - data center (centre) **1:** 8, 15; **2:** 43, 50, 64; **3:** 19, 33, 35, 46, 48; **7:** 25-26; **8:** 9, 28, 59; **10:** 1, 5, 7-10, 17-18; **11:** 1, 3, 10, 12, 14, 23, 26, 32, 34, 80, 98; **13:** 40-42
  - data compression **6:** 16-17; **8:** 25
  - data exchange **1:** 2, 9, 13; **8:** 58-59; **10:** 4-7, 9, 15, 17, 20; **11:** 1, 5, 23, 40; **IS 2.1:** 1-2
  - data flow **7:** 41; **8:** 12, 22

- data format see format
- data logger **4:** 13; **6:** 13, 15, 18, 20; **7:** 18, 20, 26, 32, 49, 73; **8:** 3, 10-11, 17, 19, 26, 40, 49; **10:** 19
- data management **3:** 79; **6:** 16; **8:** 12
- data model **6:** 17-18
- data processing **1:** 6, 15; **2:** 4, 64; **5:** 4, 27; **6:** 1; **7:** 85; **8:** 1, 13, 36; **9:** 1-3; **11:** 3, 5, 41
- data protocols **10:** 10
- data rate **1:** 8; **8:** 25; **13:** 40
- data retrieval **10:** 3; **IS 8.3**
- data storage **6:** 1; **8:** 13, 25; **10:** 1-2, 8, 11; **13:** 41
- data transfer **8:** 1-2, 10, 12, 14, 21; **10:** 1-2, 9-10, 17; **11:** 12
- data transmission **7:** 2, 8-9, 12, 39-42, 44, 60; **8:** 4, 8-10, 15-16, 20-22, 25-28, 36, 40, 44-46, 55; **10:** 6; **11:** 5; **IS 8.2**
- hydroacoustic data **IS 10.3**
- infrasonic data **IS 10.3**
- macroseismic data **3:** 15; **12:** 6-8, 10-19
- metadata **6:** 16, 18
- seismic data **1:** 1, 6; **2:** 61; **3:** 50; **5:** 6; **6:** 19; **7:** 8, 39-41, 47-48, 75, 78, 84; **8:** 4, 10, 13, 15-17, 19-22, 24-27, 39, 49, 54-55, 57-59; **9:** 1, 18; **10:** 1-3, 7, 11-12, 19; **12:** 7, 11, 13-14, 16-18; **13:** 34
- decomposition **3:** 73, 77, 79; **5:** 9
- decomposition of moment tensor **3:** 79
- deformation **2:** 2-3, 5; **3:** 1-2, 7-9, 18, 46, 83; **7:** 46-47, 53, 61, 69; **13:** 35-37
- Delta-Sigma Modulator (DSM) **6:** 11
- density (of the medium) **2:** 4-8; **DS 2.1:** 1-3, 7-11; **EX 3.4:** 3-4
- detection **1:** 8; **4:** 27; **7:** 16, 25, 31, 38, 40, 44; **8:** 8, 10-13, 19-20, 22, 26, 28, 34, 43; **9:** 2-3, 18-19, 22, 36, 38, 40-45, 48; **11:** 2, 29, 31, 39-40, 51, 57
- detection threshold **7:** 25, 31; **8:** 19-20, 43; **9:** 19, 44; **11:** 31; **IS 8.1:** 11
- detection processing **9:** 2-3, 18, 41, 44
- detectability **7:** 1, 13, 15; **8:** 18, 43; **9:** 22; **IS 7.4**
- detrigger see trigger
- diffraction **2:** 41; **3:** 53; **4:** 1; **7:** 42; **8:** 6, 45; **11:** 35
- dilatation(al) **2:** 5, 9; **3:** 5, 58-59, 63; **11:** 9-11, 23, 69
- Dirac impulse (needle impulse) **4:** 14; **5:** 7-8; **6:** 4; **EX 3.5:** 1
- direction
  - slip direction **3:** 59, 66; **EX 3.2:** 5
  - strike direction **3:** 14, 58, 65
- directivity **3:** 19, 66, 80
- discontinuity **2:** 12, 25-26, 28, 30-31, 33-34, 37, 40-41, 44-45, 59; **7:** 38; **11:** 62, 67, 71-73, 79
- Conrad discontinuity **2:** 44-45
- first-order discontinuity **2:** 26, 29, 33
- Mohorovičić discontinuity **2:** 12, 14, 17, 25, 44-45, 47-48, 67; **11:** 61, 63-64, 67-68; **IS 2.1:** 4-7, 11

- second-order discontinuity
- discrimination **2: 28**  
**1: 8; 3: 10, 35, 41; 7: 25; 11: 24, 28-29, 31, 33, 64; 12: 2; 13: 22, 34, 36**
- dislocation **3: 45, 58, 60-61, 73, 82, 89, 91-93; 4: 16; EX 3.4: 3-6; ES 3.5: 2; IS 3.1: 8-9, 11, 13-18; IS 3.1: 16-17**  
**IS 3.1: 16**  
**5: 42-43, 45; PD 5.3**
- dislocation function
  - dislocation velocity
- DISPCAL (program) **5: 45; PD 5.4**
- DISPCAL1 (program) **2: 13, 15, 17, 19, 42; 3: 30; 7: 42; 8: 6, 39, 45; 11: 7, 15-16, 64**
- dispersion **2: 13, 15, 17; 3: 30; 11: 15**  
**2: 19**  
**2: 13, 17; 11: 15**
  - dispersion curve
  - inverse dispersion
  - normal dispersion
- displacement (of ground motion, sensor mass; response, seismogram) **1: 8; 2: 3, 5-9, 12, 21; 3: 8-9, 16, 19-20, 23-24, 27, 30-31, 33, 36, 40-41, 47, 49, 71-72, 74-75, 79, 81, 87; 4: 1, 4-8, 11, 14-16, 18, 24; 5: 1-2, 10, 13-16, 18, 23-25, 27, 41-44; 7: 7, 18-19, 26, 28-30, 33; 11: 5, 9-12, 18-19, 30, 33, 40-48, 50-51, 75, 77, 86; 13: 7-9; EX 5.2: 1, 4; EX 5.3: 1**  
**3: 5-10, 13, 18, 36, 38, 49, 56-58, 60-61, 65, 73-74, 82, 86-89, 92-93; EX 3.5: 1**  
**3: 15, 73; IS 3.1: 2**  
**3: 75; IS 3.1: 16**  
**3: 8-10, 56-57, 85**  
**2: 5; 3: 62; EX 3.2: 1**  
**5: 24, 27, 42; IS 5.2: 2**  
**3: 59, 66**
- displacement (at a fault; see also dislocation)
  - displacement field
  - displacement function
  - displacement spectrum
  - displacement vector
  - displacement transducer
- Doppler effect **7: 55-57, 91**
- double-couple source (see couple)
- drainage **4: 31; 7: 12, 57, 76-78, 80, 83, 86, 93-98, 100-103**
- drilling **1: 2, 9; 2: 20; 3: 21, 27; 4: 6-7, 10, 13; 5: 2; 6: 13, 19; 7: 6, 13, 40, 47, 64-65, 74, 93, 97; 8: 1, 3-5, 7, 15-17, 30, 34, 40-41, 43, 49; 11: 2, 8, 41; 13: 39-40**
- dynamic range
- Earth
  - Earth models **1: 10, 14-16; 2: 1-2, 15, 27, 36, 38, 57-64; 3: 79; 8: 53; 9: 11-12; 11: 7, 8, 39, 61, 92-93, 98; DS 2.1; IS 2.1: 2**  
**2: 20; 7: 64**
  - Earth's tides **see core**
  - Earth's core **see crust**
  - Earth's crust **see mantle**
  - Earth's mantle
  - flat Earth **2: 26**
  - spherical Earth **2: 26-27, 41; 3: 30**
- earthquake
  - anthropogenic/ man-made earthquake **11: 62**
  - crustal earthquake/event **2: 17, 45-46, 48, 68; 3: 87; 11: 17, 24, 26, 64; EX 11.1: 3-4;**

## Index

- deep earthquake **2:** 15, 17, 19, 42, 48; **3:** 2, 30, 33, 37, 41, 54, 78; **11:** 17-18, 24-27, 75, 90, 99; **EX 11.2:** 2-4; **DS 11.2:** 12-13; **DS 11.3:** 1-3, 4-5, 12-14, 21-22
- earthquake catalog **1:** 7; **3:** 15, 25, 50; **7:** 2-3, 25; **12:** 16-17, 19
- earthquake parameters **1:** 14; **8:** 55; **10:** 3; **12:** 12, 16
- induced earthquake /seismicity **3:** 5; **8:** 2, 6, 35; **11:** 1, 29, 40, 62, 68, 71
- local earthquake (records) **2:** 38, 45-46; **3:** 13, 21, 25, 28, 69; **11:** 61-71; **DS 11.1**
- microearthquake **8:** 18-19
- mining-induced earthquake **2:** 10; **11:** 1, 29, 40, 62, 68, 71
- near earthquake **11:** 61, 64
- shallow earthquake **11:** 76; **EX 11.2:** 2-4
- slow earthquake **3:** 46, 92
- tectonic earthquake **3:** 2-7, 17, 71; **11:** 29, 66; **13:** 1, 4, 10-11
- teleseismic earthquake **2:** 15, 61; **3:** 51; **11:** 72-100; **DS 11.2**; **DS 11.3**
- regional earthquake **2:** 46; **3:** 32; **11:** 61-71; **DS 11.1**
- volcanic earthquake **3:** 4; **13:** 1
- EARTHWORM **8:** 13
- elastic moduli **2:** 2-4, 7
- electrical grounding **7:** 59
- electrodynamical constant **EX 5.2:** 3; **EX 5.3:** 1;
- electromagnetic interference (EMI) **7:** 48
- ellipticity (of the Earth) **IS 11.1:** 23-24
- energy **1:** 5, 8; **2:** 7, 12, 15, 17, 19, 24-25, 29, 32-33, 36-38, 40-41, 45, 49, 57, 64; **3:** 1, 3-4, 7, 9, 15-19, 22, 30-31, 36-39, 46, 49-57, 71, 75, 80, 82-84, 86-87, 92; **4:** 18; **5:** 5, 7, 23; **6:** 4, 6; **7:** 3, 43, 45, 93, 102, 104-105; **8:** 6; **9:** 7-8, 19, 22, 24-26, 33-35; **11:** 7-8, 17, 19-20, 25, 28, 30, 52, 54, 61, 64, 71, 81, 83; **12:** 19; **13:** 15, 30, 33
- energy magnitude (Me) **3:** 7, 18, 37-38, 50, 54, 56-57, 83
- seismic energy (E<sub>S</sub>) **2:** 7, 25, 33, 37; **3:** 3-4, 7, 15-19, 31, 37-39, 46, 49-51, 57, 80, 82-84, 87, 92; **4:** 18; **7:** 3; **9:** 24, 33-34; **11:** 52; **12:** 19; **13:** 15
- epicenter **3:** 3, 41, 53, 56; **8:** 2-3, 12, 41-43; **9:** 9-10; **11:** 6, 8, 13-14, 24, 26, 29, 32, 34, 36-39, 57, 61, 63-65, 99; **12:** 13, 16-19; **13:** 13, 16-17, 19; **EX 11.1:** 1-4; **EX 11.2:** 1, 5, 9
- epicenter (estimation/ determination/location) **EX 11.1**; **EX 11.2**; **IS 11.1**
- equation of motion **2:** 4-5; **5:** 17
- equatorial plane see plane
- equipment selection **8:** 49
- event
  - event discrimination/ identification **11:** 24, 28-29, 31-32, 34; **13:** 36
  - event location (see location)
  - local event/seismic source **2:** 6, 42-43, 65; **3:** 21, 23-24, 29, 69-70, 80; **7:** 1,



- low-frequency events 31; **11:** 19, 34, 60, 71; **EX 3.1:** 2; **EX 11.1**
  - hybrid events **13:** 5, 7
  - multi-phases events **13:** 6, 14, 35
  - regional event/seismic source **13:** 6
  - teleseismic events **2:** 17, 67; **7:** 64, 74, 93; **9:** 1-2, 7-8, 19-20, 46-48; **EX 11.1**
  - ultra-low-frequency events **1:** 8; **2:** 46, 61, 63-64; **3:** 36, 70; **4:** 30-31; **7:** 10, 16, 37; **11:** 39, 99; **EX 3.2**
  - very-low-frequency events **13:** 7
  - volcanic-tectonic event **13:** 3-4
- explosion **1:** 8; **2:** 1-2, 17, 59-60, 66; **3:** 4-10, 12, 17, 32, 34, 40-43, 50, 73, 75, 83, 87; **4:** 1, 11-12, 15, 26-28, 32; **8:** 2, 35; **9:** 1, 6, 28, 31, 34; **11:** 1, 6, 8, 17-18, 24, 29-31, 33, 40, 56-57, 62, 71, 89, 99; **13:** 7-8, 11-13, 16, 28, 33, 37, 40; **DS 11.4**
  - explosion quakes **13:** 7-8
  - explosion yield **11:** 56-57
  - explosion source **3:** 73; **9:** 6
  - underground nuclear explosion **1:** 8; **2:** 17; **3:** 4, 8-9, 17, 32, 34, 40, 42-43, 50; **4:** 12, 26-28, 32; **8:** 2; **11:** 6, 29-31, 56-57, 89; **13:** 33; **EX 3.5:** 2; **DS 11.4**
- far-field **2:** 6-7, 38; **3:** 9, 15; **4:** 15
- fault(ing) **1:** 14, 16; **2:** 2, 43-44, 69; **3:** 2-3, 5-6, 9-15, 18, 45, 48, 53, 56-60, 62-63, 65-68, 69-75, 80-82, 85-93; **4:** 11; **7:** 2, 31; **8:** 29, 44; **13:** 4, 40
  - circular fault **IS 3.1:** 9
  - fault displacement see displacement and dislocation
  - fault length **3:** 88-91
  - fault plane (solutions) **1:** 17; **3:** 11, 15, 58-70, 80-81; **11:** 10, 27, 66-67; **EX 3.2:** 1-6 ; **EX 3.3:** 4-6; **EX 3.5:** 2-3
  - (types of) faulting **3:** 66-68; **EX 3.5:** 2-3
  - rectangular fault **IS 3.1:** 9-10
- feasibility study **8:** 35-36, 39
- feedback (system, sensor) **5:** 19-28, 31; **7:** 49, 66, 83; **8:** 7
- Fermat's principle **2:** 25-26
- Federation of Digital Broad-Band Seismograph Networks (FDSN) **4:** 25; **8:** 14, 28; **10:** 7, 15, 20
- filter(ing) **1:** 5, 8, 11-12; **2:** 10, 18-19, 22, 30, 38, 52, 64; **3:** 17, 18-20, 35, 38-39, 41, 79, 81; **4:** 1, 3, 8-10, 11-18, 25-30; **5:** 1-2, 9-10, 12-13, 15-16, 23, 27, 28, 38-39, 44-45; **6:** 3, 5-11, 13-16, 19-20; **7:** 17, 27-28, 33-38, 41, 55, 66; **8:** 6-7, 16, 19, 52; **9:** 2, 8, 19-23, 25, 28-33, 38-39, 41-44; **10:** 8; **11:** 2, 5, 8, 10, 14-16, 18, 23, 25-26, 28-29, 31, 33, 36, 40-48, 56-57, 59-60, 65, 67-69, 71, 73, 79-83, 85, 88-89, 96, 99-100; **13:** 9-10, 15, 26, 31, 33, 40; **EX 5.4:** 3; **EX 5.5:** 7
  - analog filter **6:** 3, 8, 20

- anti-alias filter see aliasing
- band-pass filter(ed) **4:** 25, 28; **5:** 12, 15, 16, 38; **7:** 34-35, 37-38; **8:** 19, 52; **11:** 16, 40-41; **13:** 9-10; **DS 11.3:** 24; **DS 11.4:** 4-5; **EX 4.1:** 1; **EX 5.4:** 2; **IS 5.2:** 3, 6
- Butterworth filter **5:** 23, 38; **6:** 5; **DS 11.2:** 29; **EX 5.5:** 7
- decade filter(ing) **EX 4.1:** 4
- decimation filter **6:** 8, 13-16; **EX 5.4:** 3
- digital filter **6:** 7-8, 11, 13, 19-20; **11:** 41; **EX 5.5:** 7
- finite impulse response filter (FIR) **6:** 8, 13-14, 19; **10:** 8
- frequency filter **4:** 25-26, 28; **11:** 16
- frequency-wavenumber (f-k) filtering see f-k analysis
- high-pass filter(ed) **4:** 1; **5:** 1, 9, 15-16, 38; **6:** 3; **7:** 27; **11:** 16, 40, 65, 67-68; **DS 11.1:** 2, 4; **EX 5.1:** 1, 3; **EX 5.4:** 2; **IS 5.2:** 3, 6
- infinite impulse response filter (IIR) **5:** 2; **6:** 8, 20
- low-pass filter **3:** 79; **4:** 1; **5:** 9-10, 13, 15-16, 38-39; **6:** 3, 5-7, 10-11; **7:** 17, 34, 37; **11:** 16, 36; **EX 5.4:** 2; **EX 5.5:** 7
- noise prediction error filter **4:** 27-28
- octave filter **4:** 9-10; **EX 4.1:** 4
- polarization filter(ing) **4:** 28-29; **11:** 33; **13:** 26; **IS 2.1:** 1
- recursive filter **5:** 39, 45
- first motion **3:** 5, 11, 58-60; **4:** 11-12, 32; **8:** 7; **11:** 9-10, 29, 35, 69, 71; **EX 3.2:** 1-3
- f-k analysis **4:** 21; **9:** 3, 25-29, 44-47; **11:** 54, 56, 58; **13:** 31-32; **IS 2.1:** 1
- focal depth see source depth
- focal mechanism **2:** 25, 69; **3:** 37, 59, 69, 81; **8:** 42; **EX 3.5:** 2
- focal sphere **3:** 59-61; 63-64; 66, 69-70; **EX: 3.2:** 1
- force-balance accelerometer/sensor **5:** 24-25, 27-28, 33, 44; **EX 5.4:** 3
- format
  - data exchange formats **10:** 7, 9-10
  - data format **1:** 1, 16; **5:** 9, 45; **6:** 16-18; **8:** 12, 22, 58; **9:** 3; **10:** 1-20; **11:** 59-60
  - format conversion **10:** 7-8, 17-18
  - formats for database systems **10:** 10
  - GSE/IMS format **10:** 2, 5
  - IASPEI Seismic Format (ISF) **3:** 33; **10:** 2-3, 6, 11; **11:** 5, 12, 99
  - input/output formats **10:** 4, 14, 17-19
  - Nordic format **10:** 4
- free oscillations see normal modes
- free-surface reflection **EX 3.4:** 3, 5-6
- frequency
  - center frequency **4:** 9; **EX 4.1:** 5, 7
  - corner frequency **3:** 3-9, 17-18, 39, 41, 49-50, 52-53, 93; **4:** 9; **5:** 15-16; 25-27, 33; **6:** 5; **7:** 17, 23; **8:** 5, 7; **11:** 18, 41,

- frequency band
    - frequency domain
    - frequency response
    - frequency spectrum
  - gain
  - gain ranging
  - gas monitoring
  - generator constant  
(see also electrodynamic constant)
  - German Regional Seismic Network (GRSN)
  - Global Digital Seismic Network
  - Global Positioning System (GPS)
  - Global Seismic Network (GSN)
  - geometric spreading
  - geophon
  - Geotech Instruments (seismometers)
  - geotechnical studies (data, sampling)
  - gradient
    - gradient zone
    - strong gradient
    - weak gradient
  - Gräfenberg array
  - Gräfenberg Observatory (GRFO)
  - great circle
  - grid search
  - ground
    - ground acceleration
    - ground deformation
    - ground displacement
    - ground velocity
  - grouting
  - Guralp (seismometer)
  - half-bridge
  - harmonic analysis
  - harmonic drive
- 44, 46, 69-70; **13**: 40; **EX 3.4**: 1, 4-6; **EX 3.4**: 4-6;  
**EX 5.1**: 1; **EX 5.5**: 1; **IS 5.2**: 1-3; 5-6  
**1**: 9; **3**: 17, 34, 45; **5**: 29, 41; **6**: 7; **7**: 16, 25, 39-40;  
**8**: 11; **EX 4.1**: 1  
**3**: 10, 51, 57, 72, 74-75, 79; **4**: 1-2, 15; **6**: 6; **9**: 45,  
 24, 26-27, 29; **11**: 39; **13**: 31; **EX 4.1**  
**3**: 17, 20, 27; **4**: 3, 16; **5**: 29, 41; **6**: 7; **7**: 17; **8**: 5, 7,  
 56; **IS 5.1**: 4  
**4**: 15; 24-25, 28  
**5**: 2-3, 9-11, 13, 25-27, 32-33, 41-42; **6**: 19; **7**: 4, 6-  
 7, 13, 15, 17, 30, 40, 42-43, 45, 90, 106; **8**: 15, 17,  
 34, 44, 52; **9**: 17, 26, 29, 36-37, 39-41; **11**: 42;  
**13**: 23; **EX 5.4**: 3  
**6**: 12, 19; **8**: 17; **13**: 40  
**13**: 37  
**DS 5.1**: 2-10  
**1**: 11; **2**: 11; **5**: 30; **7**: 12, 26-27, 67; **8**: 31; **11**: 5,  
 11, 24, 41, 58, 67  
**3**: 85  
**1**: 9; **6**: 19; **11**: 8; **13**: 35  
**8**: 12, 14, 25, 37  
**2**: 38; **3**: 19, 30, 33, 38; **4**: 1; **11**: 14  
**5**: 15-16, 23, 26-27, 31, 35-36, 42, 45; **6**: 12;  
**7**: 104; **8**: 4-6; **EX 5.1**: 1; **EX 5.3**: 3; **EX 5.4**: 1-3  
**6**: 20; **7**: 83-86; **DS 5.1**: 7  
**7**: 87, 91, 95, 97, 1001, 103, 107  
**2**: 5, 11-12, 25, 27-30, 33-34, 39-40, 45-48, 59-60,  
 64; **3**: 69; **7**: 42-43, 48, 56, 69; **8**: 33, 45; **11**: 12,  
 27; **12**: 13; **13**: 28  
**2**: 5, 29-30, 33  
**2**: 29, 39  
**2**: 29  
**2**: 67-68; **3**: 83; **4**: 21, 27; **8**: 11; **9**: 7  
**4**: 14; **8**: 31  
**2**: 19, 21; **3**: 62-63; **EX 3.2**: 3-4  
**IS 11.1**: 7-9, 11-12  
**3**: 7, 86; **4**: 5, 7-8, 10; **5**: 14, 18, 24-26, 28, 34, 40;  
**7**: 53; **8**: 5; **EX 4.1**: 4-6; **EX 5.4**: 3  
**13**: 35, 37  
**2**: 6; **3**: 8, 19-20, 23, 31, 33, 49, 71, 74-75; **4**: 14,  
 16; **5**: 1, 14, 42; **7**: 7, 18-19; **EX 4.1**: 4-5, 7  
**2**: 6; **3**: 8, 20, 39, 49-51, 53, 57; **5**: 20, 26; **7**: 11;  
**8**: 5, 34; **EX 4.1**: 4-6  
**7**: 92, 94, 96-97, 100-101  
**6**: 19; **7**: 80, 83-84, 86; **8**: 5; **DS 5.1**: 2  
**5**: 23-24; 35; **EX 5.4**: 2  
 see Fourier transform  
 see calibration

- header (information, structure) **6:** 16-18; **EX 5.5**
- hemisphere (upper/lower of focal sphere, hemisphere projection) **3:** 63-64; 68, 70; **EX 3.2:** 1-3; **EX 3.3:** 6
- heterogeneity **2:** 17, 42, 59; **11:** 22; **EX 11.2:** 1; **IS 5.1:** 5
- higher mode  
see mode
- high-frequency decay **3:** 10, 39; **11:** 69-70; **EX 3.4:** 5-6
- high-frequency magnitude **3:** 45
- high pass  
see filter
- Hilbert transform  
see transform(ation)
- Hooke's law **2:** 4; **IS 3.1:** 3
- Huygen's principle **2:** 25, 41
- hypocenter **2:** 48, 60-61, 68; **3:** 14, 45, 59, 70, 78, 80; **4:** 13; **7:** 13-14; **9:** 48; **10:** 2-3; **11:** 1, 24, 32, 34, 39, 65, 100; **13:** 1-2, 4, 19-20, 25, 27-29, 33-34; **EX 11.1:** 1-3; **7:** 13-14; **11:** 34-38, 99; **13:** 1, 19-20, 27-28, 33; **IS 11.1:** 7, 17-18, 24  
**EX 11.1:** 1-2; **IS 11.1:** 27  
see source depth
- hypocenter determination/location
  - hypocenter distance
  - hypocenter depth
- HYPO71 **3:** 28, 69-70; **10:** 3-5, 17; **11:** 60; **13:** 28
- HYPOELLIPSE **3:** 69-70; **10:** 4; **13:** 28
- HYPOINVERSE **3:** 69-70; **10:** 4
- HYPOMOD **PD 11.1**
- HYPOSAT **IS 11.1:** 10, 18-19, 30; **PD 11.1**
- identification (of seismic events) **11:** 24-34
- identification (of seismic phases) **1:** 5-6, 10-12, 14; **2:** 24, 30, 43, 47-57; **3:** 34; **11:** 2, 4, 12-22, 24-26, 32-34, 52, 57, 61-100; **1:** 5; **11:** 28-31
- identification (of underground nuclear explosions)
- impedance (acoustic) **2:** 33, 37, 41, 44, 47; **7:** 4, 12, 20, 23, 38-39; **8:** 44
- impedance (electrical) **5:** 27, 31, 33-35; **7:** 54, 59-61; **8:** 33
- in-plane (rupture propagation; fault geometry) **IS 3.1:** 10, 15, 18
- installation **1:** 6, 14-15, 16-18; **2:** 22; **4:** 20, 24, 29-31; **5:** 28-30, 34; **6:** 12, 15; **7:** 1, 4-5, 9, 15-16, 18-19, 33-35, 39, 46-49, 54, 58, 61-71, 73-78, 80-84, 86-87, 89-93, 96-97, 99-102, 105-107; **8:** 3-4, 7-8, 13, 33-34, 36-38, 50-51, 53; **9:** 3, 15; **13:** 18-19, 38, 41  
**4:** 29-31; **7:** 39, 58, 64, 75-86, 88-90, 92-93  
**4:** 29; **7:** 26, 28, 31-32, 47, 63, 75  
**7:** 26, 32, 47, 58, 63, 66, 69-70, 75  
**7:** 67-68, 71  
**7:** 90-93  
  
**7:** 75-86  
  
**7:** 17-20, 47-57
- installation in boreholes
  - installation in mines
  - installation in tunnels
  - installation of an STS2
  - installation of borehole accelerometers
  - installation of borehole broadband seismometers
  - installation of seismic sensors
- intensity  
see macroseismic data and observations
- intensity attenuation  
see macroseismic data and observations
- intensity scales  
see macroseismic data and observations

- International Data Centre (IDC) **1:** 8; **2:** 60; **3:** 34; **8:** 28; **10:** 1, 5, 10; **11:** 12, 29
- International Monitoring System (IMS) **1:** 6, 8; **8:** 28; **9:** 39, 49; **10:** 2, 5, 10; **11:** 29, 64
- International Seismological Centre (ICS) **1:** 1, 5; **2:** 50-51, 57-58; **3:** 32, 34, 49, 70; **8:** 58; **10:** 1; **11:** 5
- inversion **2:** 13, 36, 63, 65, 71; **3:** 8, 13, 69, 71, 74-76, 78-81, 93; **5:** 39; **10:** 8; **11:** 39, 69; **13:** 5, 10-11, 28, 35-36  
see macroseismic data
- isoseismal map
- isotropic  
see isotropy
- isotropy **2:** 4; **11:** 21
- Japanese Seismic Networks **8:** 29-30, 59
- Kinematics (seismometers and data acquisition systems) **6:** 8, 15; **7:** 18, 87, 92-93, 99, 105; **8:** 5, 13; **DS 5.1:** 3
- Kirnos (seismograph, response, record, filter) **1:** 8; **2:** 47; **3:** 23, 47; **4:** 11-12, 14; 16-17; **11:** 5, 17, 19, 33, 35, 40-43, 45, 48, 50-51, 75, 77, 86; **DS 11.1:** 11-12; **DS 11.2:** 2-3, 8, 13, 20; **DS 11.1:** 11-12; **DS 11.2:** 2-3, 8, 13, 20; **EX 11.2:** 5-6  
**3:** 11, 62-63; **EX 3.2:** 1-3; **EX 3.3:** 5
- Lambert-Schmidt net (projection)
- Lamé parameters
- layers (Earth's layers) **2:** 1, 5, 11-13, 17, 26-28, 33-35, 37, 40, 44-45, 59-60, 62, 64-65, 67-68; **3:** 30, 66, 69, 93; **4:** 22, 29; **5:** 28-30; **6:** 17, 20; **7:** 7, 71, 81, 83, 87, 102-103; **9:** 11; **11:** 63-64; **13:** 10, 28, 38  
**2:** 59, 62
- D" layer **2:** 27-28, 33-34, 49, 64; **IS 2.1:** 13; **13:** 10
  - horizontal layer model **2:** 13, 29, 31-32, 59; **3:** 30; **4:** 29
  - low-velocity layer/zone **2:** 28
  - multi-layer model **2:** 35, 44; **EX 11.1:** 1
  - one (single)-layer model/crust **2:** 35, 46
  - tilted layer model **2:** 33-34, 44; **11:** 63-64; **IS 2.1:** 13
  - two-layer model **7:** 15, 46, 48, 57
- layers (of insulation/shielding material)
- leaking mode see mode
- Lennartz (seismometers and data acquisition systems) **5:** 28; **6:** 20; **8:** 6; **DS 5.1:** 4
- lightning protection **7:** 48, 54-55, 59-61, 90, 93, 108; **8:** 33, 55; **13:** 38
- location (of seismic sources) **1:** 10, 12, 14, 16; **2:** 1, 5, 24, 41, 43, 45, 57-58, 63; **3:** 4, 15, 28, 69-70, 79-80; **4:** 20-21; **7:** 1, 13, 15-16, 25, 38; **8:** 1-2, 12-14, 28, 34-35, 38, 40-43, 53, 58; **11:** 2-3, 5, 7-9, 12, 14, 27, 32-39, 58, 60, 63-65, 69, 89, 98-99; **12:** 16; **EX 11.1;** **EX 11.2;** **IS 7.4;** **IS 11.1;** **PD 11.1**  
**IS 11.1:** 1
- centroid location **7:** 13, 15, 25; **8:** 41-43; **11:** 14, 34, 39; **IS 11.1:** 7, 12, 16-17, 22, 24, 26; **IS 7.4**
  - location accuracy **IS 11.1:** 12, 15, 19, 24, 26-27
  - location errors **IS 11.1:** 7-8, 10-16, 18-19, 22, 24 and the programs given above from HYPO71 to HYPOSAT
  - location programs **IS 11.1:** 24, 27
  - mislocation
- low-frequency level (of spectrum) see spectral plateau
- low-pass filter see filter

- low-velocity layer/zone see layer
- macroseismic data and observations **1:** 2, 15; **3:** 7, 15, 39, 41, 81; **12:** 1-20
- barycenter **12:** 16-17
  - European Macroseismic Scale (EMS) **12:** 2
  - intensity attenuation **12:** 13-14, 19
  - isoseismal map **12:** 12-13
  - JMA scale **12:** 2, 7
  - macroseismic data **3:** 15; **12:** 7, 11, 13-14, 16-18
  - macroseismic effects **3:** 56
  - macroseismic epicenter **12:** 16
  - macroseismic focal depth **12:** 17-19
  - macroseismic intensity **1:** 18; **3:** 6-7, 15-16, 18, 43-45, 50, 82, 86; **12:** 1-7, 10-20
  - macroseismic intensity scales **1:** 18; **3:** 7; **12:** 1-7, 10-11, 19
  - macroseismic magnitude (see magnitudes)
  - macroseismic questionnaire **12:** 7-8
  - Modified Mercalli Scale **12:** 1-2
  - MSK scale **12:** 1-2
- magnetic core **5:** 23
- magnification (amplitude response of seismographs) **2:** 19, **3:** 17, 19-20, 23-24, 28, 41; **4:** 11, 17-18; **5:** 2, 10, 12, 28; **11:** 9, 10, 17, 34-35, 40, 42, 44, 99; **13:** 23; **EX 4.1:** 3, 5; **EX 5.1:** 1, 3; **EX 11.3:** 3; **IS 5.2:** 5-6
- magnitude **1:** 7-8, 12, 14, 16; **2:** 1, 15, 17, 20, 24, 37, 39, 45; **3:** 1, 3-7, 9, 15-50, 48-49, 51-52, 74-82, 84-87; **4:** 3, 11-12, 21, 31; **7:** 13, 18, 25, 28, 41, 67, 80; **8:** 14, 41, 53, 58; **9:** 48; **10:** 2-5; **11:** 1-2, 7, 9-10, 14-15, 17-19, 23, 28-33, 38, 41, 47, 59, 63, 67-68, 71, 73, 89, 99-100; **12:** 1, 17-19; **13:** 34; **EX 3.1:** **DS 3.1**
- body-wave magnitude **3:** 4-5, 7, 9, 33-36, 39, 42, 45-46, 49, 79, 85; **11:** 29, 100; **DS 3.1:** 3-7; **EX 3.1:** 6-7
  - broadband (medium-period) magnitude mB **3:** 38, 46-50; **DS 3.1:** 3; **EX 3.1:** 6-7
  - duration magnitude Md **3:** 27-29
  - energy magnitude Me **3:** 7, 18, 37-38, 50, 54-57, 83
  - high-frequency magnitude **3:** 45
  - Lg magnitude **3:** 42-43
  - local magnitude MI(ML) **2:** 45; **3:** 22-27, 83; **11:** 28, 67, 71; **DS 3.1:** 1; **EX 3.1:** 1-2, 5-6;
  - macroseismic magnitude **3:** 43-45; **12:** 17
  - magnitude calibration functions **1:** 8, 14, 16; **2:** 1, 17, 45; **3:** 17, 19, 22-27, 30-35, 38-42, 47-50, 83; **11:** 15, 38; **DS 3.1:** 3-6; **EX 11.3:** 1, 3, 15
  - magnitude determination **1:** 10, 14, 16; **2:** 24; **3:** 17-19, 21-23, 25, 27, 30, 33, 35, 42, 48; **4:** 12; **8:** 58; **11:** 7, 10, 38, 100; **EX 3.1**
  - magnitude nomenclature **IS 3.2**

- magnitude relationships **3:** 32, 46-49, 85
- magnitude saturation **3:** 9, 25, 34-35, 37, 39, 46, 48, 85-86, 91, 93
- magnitude scales **1:** 8; **3:** 16, 18-19, 23-50; **4:** 3; **11:** 38; **DS 3.1:** 1-7
- mantle magnitude  $M_m$  **3:** 36-37
- moment magnitude  $M_w$  **3:** 7, 9, 17-18, 31, 36, 44-45, 50, 56, 82-83, 87, 91
- PKP-wave magnitude **3:** 42; **DS 3.1:** 6-7; **EX 11.3:** 3-5, 15
- short-period P-wave magnitude mb **3:** 33-36; 40-42; 46-49; **DS 3.1:** 5-6
- spectral magnitude **3:** 17, 32, 38-40
- surface-wave magnitude  $M_s$  **2:** 15; **3:** 30-33, 43, 46-47, 49, 85; **11:** 30, 41, 47, 100; **DS 3.1:** 2; **EX 3.1:** 5, 7
- teleseismic magnitude **3:** 29;
- tsunami magnitude **3:** 46
- mantle **1:** 11; **2:** 2, 12-13, 15, 19-20, 25, 31-32, 38, 43-44, 47-49, 58-60, 62-63; **3:** 2, 20, 30-31, 36, 79; **9:** 34; **11:** 7, 13-14, 16, 20, 24-25, 27, 33, 61, 63-64, 67-68, 72-73, 75, 80, 89, 98
- Earth's mantle **2:** 2, 47, 62; **3:** 2; 20, 30-31, 36-37, 40; **11:** 24, 74; **IS 2.1:** 3-8, 10-14
- mantle transition zone **2:** 13, 30-31, 47, 62-63; **3:** 40; **11:** 72
- lower mantle **2:** 31, 39, 48-49, 51, 59, 60, 62-63; **11:** 72, 75
- upper mantle **2:** 12-13, 25, 31-32, 38, 44-45, 48, 59-62, 63; **3:** 2, 31, 36, 40; **11:** 27, 64, 72-73, 75
- Mark (seismometers) **7:** 19; **8:** 5; **DS 5.1:** 5
- medium (Earth's medium) **2:** 4-5, 9, 11, 13, 25-27, 33, 36, 39-42, 63-64; **3:** 5, 7, 11, 15-16, 18-19, 38, 69, 71, 87; **4:** 1; **7:** 38, 42; **13:** 2-3, 10, 12-13,
- anisotropic (Earth's) medium **2:** 4, 11; **11:** 19
- elastic medium **2:** 4-5
- homogeneous medium **2:** 5, 37; **EX 3.5:** 2; **IS 3.1:** 4-5, 8-9
- inhomogeneous medium **2:** 5, 25, 36
- isotropic medium **2:** 4, 9, 11, 37; **3:** 5, 11, 69; **EX 3.5:** 1-2; **IS 3.1:** 5, 9, 13
- methods
  - ACH method **9:** 32
  - beampacking method **9:** 26
  - check-sum method **8:** 26
  - CMT method **3:** 79
  - circle method **8:** 2; **EX 11.1;** **IS 11.1:** 4-5
  - compression method **6:** 17
  - correlation method **9:** 33
  - CRC method **8:** 22
  - delay-and-sum method **11:** 57
  - double-beam method **9:** 6
  - EMSC method **3:** 80
  - error-correction method **8:** 26
  - FEC method **8:** 22, 26
  - f-k method **9:** 27-29; **11:** 52-55

- gain-ranging method **6:** 19
- Herglotz-Wiechert method **2:** 57
- Nakamura method **4:** 22
- plane-wave method **11:** 63
- random signal method **5:** 2, 38-40
- ray-theoretical method **2:** 38
- reflectivity method **2:** 5, 64-65
- spectral-ratio method **11:** 29
- steady-state method **5:** 2, 36
- transient (impulse) method **5:** 2, 37-38
- vespagram method **9:** 33; **11:** 52-53
- weighted-stack method **9:** 35-36
- micro-barometric recording **2:** 22
- microseism see noise
- mislocation see location
- mode
  - higher mode **2:** 12, 17, 21, 42
  - leaking mode **IS 2.1:** 11
  - mode conversion **2:** 12, 24, 42
- models **1:** 3, 7-8, 11-12, 14, 16-18; **2:** 1-2, 4, 15, 23, 25, 27-31, 33-36, 38, 41, 44-46, 57-63; **3:** 29, 59, 69, 78-79; **5:** 17; **7:** 15; **8:** 2, 41-42, 53; **9:** 11-12; **11:** 7-8, 14, 26, 28, 31, 35-36, 39, 61, 63-64, 66, 71, 74, 78, 83, 92-93, 98; **12:** 19; **13:** 2-3
  - ABM model **3:** 40
  - AK135 model **2:** 60-63; **11:** 26, 28, 64, 74, 98; **DS 2.1:** 7-11
  - IASP91 model **2:** 44-45, 50-52, 55, 58-60; **3:** 38, 40; **11:** 61, 64, 78, 92-93, 98; **DS 2.1:** 4-6
  - Jeffreys-Bullen (J-B) model **2:** 57, 60; **11:** 98
  - PREM model **2:** 13, 15, 23, 32, 38, 57, 59, 62-63; **3:** 34, 38, 40-41; **DS 2.1:** 1-3
  - SP6 model **2:** 58-60
- model for attenuation see attenuation
- model for data see data
- model for noise see noise
- model for seismic source see source
- modeling **1:** 12; **2:** 5, 28, 38, 45, 48, 57, 63-65, 67-69; **3:** 15, 18; **5:** 36; **7:** 13-15; 43, 91, 101; **8:** 43, 45; **11:** 26, 69
- modes **2:** 2, 12-13, 17, 21-23, 29, 43, 64; **3:** 75, 77; **6:** 15; **7:** 16, 35; **8:** 20; **12:** 10; **13:** 24
  - free-oscillation modes **2:** 2
  - fundamental modes **2:** 11, 13; **3:** 75
  - higher modes **2:** 12, 21, 43; **7:** 35
  - normal modes **2:** 21-23, 64; **7:** 35
  - spherical modes **2:** 21, 23
  - toroidal modes **2:** 21, 23
- Mohorovičić discontinuity (MOHO) see crust-mantle boundary
- moment (seismic) **2:** 6, 64, 69; **3:** 4, 7-11, 13, 15-18, 22, 31-32, 36-38,



- 45-46, 49-50, 55-57, 71-80, 82-89, 91-93; **4**: 16;
- 6**: 8, 17; **8**: 56, 58; **10**: 9, 16; **11**: 11-12, 16, 41, 68;
- 13**: 5, 9-11; **IS 3.1**: 3, 7-9, 12-18
- 3**: 79; **EX 3.2**: 6-7; **EX 3.3**: 4; **IS 11.1**: 28
- centroid moment tensor **3**: 75; **EX 3.5**: 2;
- elementary moment tensor **3**: 45
- high-frequency moment **3**: 7, 9, 17-18, 31, 36, 44-45, 50, 56, 82-83, 87, 91
- moment magnitude **3**: 32, 82-85
- moment-magnitude relation **2**: 6, 8-9, 13; **3**: 8-9; **IS 3.1**: 9
- moment rate **2**: 6; **3**: 4, 15, 67; **11**: 11
- moment release see tensor
- moment tensor **3**: 73, 77, 79; **EX 3.5**: 1
- moment tensor decomposition **3**: 71, 74, 78-81, 93; **11**: 69; **13**: 10
- moment-tensor inversion **2**: 64; **3**: 8, 11, 71-80, 93; **11**: 41, 68; **13**: 5, 9-11;
- moment tensor solution (determination) **EX 3.5**: 1-2
- static (scalar) seismic moment  $M_0$  **3**: 7-9, 11, 82-89; **EX 3.4**: 1, 3-6; **EX 3.5**: 1; **IS 3.1**: 8, 13-14, 17-18
- monitoring **1**: 1, 5, 7-9, 13-14; **7**: 2, 47, 87; **8**: 2-3, 13-14, 28, 31, 35, 44, 54; **9**: 39, 49; **10**: 2, 5, 10-12; **11**: 29; **12**: 2; **13**: 1-2, 16-19, 21-23, 26, 28, 31, 33-38, 40-42
- Nanometrics (seismometer, instrument) **6**: 13, 20; **8**: 32; **DS 5.1**: 10
- National Earthquake Information Center (NEIC) **1**: 6, 8; **2**: 57-58, 64; **3**: 3, 14, 31-34, 38, 69, 79-81
- natural (free) period **3**: 24-25, 87; **EX 5.2**: 2; **EX 5.4**: 3
- near field **2**: 64; **8**: 5
- needle impulse see Dirac impulse
- network
  - network configuration **7**: 15, 77; **8**: 8, 43, 53
  - network detectability **IS 7.4**
  - network examples **8**: 28-32
  - network geometry **7**: 15; **8**: 42; **IS 7.4**
  - network layout **7**: 1, 13-15; **8**: 36, 43, 45-46; **IS 7.4**
  - network tuning **8**: 53
  - physical seismic network **8**: 8-10, 14-15, 35, 40-41, 52-53
  - seismic network **1**: 5-6, 10-11, 13, 16; **2**: 8, 46; **3**: 28, 42-43, 80, 85; **4**: 20, 31-32; **5**: 30; **7**: 1-4, 7, 15-17, 25-27, 39-43, 45-46, 54, 64; **8**: 1-3, 8-22, 27-33, 35-43, 45-48, 50-59; **10**: 2, 7, 14; **11**: 4-5, 11, 14, 18, 24-25, 31, 35, 39-41, 58, 67; **13**: 1-2, 5, 18-20, 23, 28, 30, 33, 35, 40-42; **EX 11.1**: 1, 5-6, 8; **IS 7.4**
  - strong-motion network **3**: 13; **8**: 21
  - weak-motion network **8**: 18, 43
  - virtual seismic network **8**: 8-10, 11-15, 20-21, 43
- New Low-Noise Model see noise
- New High-Noise Model see noise
- nodal line **3**: 59-61
- nodal plane see plane

- noise **1:** 4, 15; **2:** 1, 22, 44,51, 65, 67; **3:** 6, 10, 28-29, 53, 78-79; **4:** 1-12, 12, 16, 18-32; **5:** 3-4, 20-22, 24, 26, 28-34, 40, 42, 46; **6:** 2, 6-11, 17, 19; **7:** 1-2, 4-7, 9-13,15-39, 41-42, 45-47, 53, 55, 58-59, 63-70, 72-77, 80-81, 84-85, 90, 93; **8:** 3-7, 16, 18-19, 21, 33-35, 41, 43-45, 49, 52; **9:** 1-2, 7, 16-19, 22-24, 34, 36-39, 41-42; **10:** 4; **11:** 1-2, 7-8, 10, 28, 31, 35, 39-41, 56, 59, 73, 88; **13:** 17-18, 20-21  
**3:** 6; **4:** 3-4, 7, 18; **5:** 28, **7:** 17; **8:** 4; **11:** 1; **13:** 17
- ambient (background; environmental) noise **4:** 24; **5:** 21
  - barometric noise **5:** 31
  - Brownian noise **3:** 53
  - coda noise **5:** 24, 31-33
  - electrical (electronic) noise **5:** 27-28, 30, 31-33, 41, 46; **6:** 2, 6, 9, 11, 19; **7:** 59, 64-65, 84-85; **8:** 5, 33; **11:** 41
  - instrument(al) (self-)noise **3:** 6; **7:** 1, 5, 10-11, 16, 22, 24, 28, 31, 64; **13:** 17
  - man-made noise **4:** 19-21
  - microseismic noise **4:** 5-7, 10, 25; **5:** 4; 20, 28-29, 32, 46; **7:** 27 84-85
  - New Low Noise Model **4:** 5-8, 25; **7:** 30
  - New High Noise Model **4:** 10; **5:** 46; **EX 4.1;** 1-2; **PD 4.1**
  - NOISECON (program) **2:** 44, 51; **3:** 28, 52; **4:** 20, 23, 28; **5:** 28-29, 32, 41; **6:** 11; **7:** 7, 10, 16, 19-20, 24, 26, 28, 34, 42, 45, 69-70, 74-77, 81, 84-85; **8:** 16, 33-34, 43, 52; **EX 4.1:**8
  - noise level **4:** 29, 31; **7:** 9-10, 15-39; **8:** 44
  - noise measurements **4:** 3-8, 10, 25; **5:** 28; **7:** 17, 21, 26-27, 30. 64-65; **EX 4.1:** 2
  - noise model **4:** 28-29
  - noise polarization (filtering) **4:** 5-8, 22, 24
  - noise power **4:** 27-28
  - noise prediction filtering **4:** 22, 29-30; **6:** 7, 10; **7:** 24, 38-39, 67-68, 76; **9:** 42
  - noise reduction **7:**2, 5-7, 9-11
  - noise sources **4:** 3-6; **7:** 10-11, 17-18, 22-24, 33-34; **EX 4.1:** 1-2
  - noise spectrum **6:** 11
  - noise test **7:** 16
  - noise variability **4:** 18
  - ocean bottom noise **6:** 7, 10; **11:** 46
  - quantization noise All Chapter **4;** **IS 7.3**
  - seismic noise **2:** 22; **4:** 25-30
  - signal-to-noise improvement **3:** 10, 28, 78; **4:** 1, 16, 24-26, 30; **5:** 31, 41; **6:** 6-8, 10; **7:** 10, 16, 25, 34, 41-42; **8:** 21, 33-34, 41; **9:** 1-2, 7, 16-19, 36; **10:** 4; **11:** 23, 35, 40, 56, 70, 88
  - signal-to-noise ratio **5:** 31
  - thermal electronic noise **2:** 22, 24, 30; **4:** 24, 30; **5:** 20, 29-30; **7:** 46-47, 76, 81; **8:** 34; **13:** 18
  - tilt noise **5:** 26; **7:** 12, 23, 34
  - traffic noise **6:** 6
  - white noise **4:** 21, 23; **7:** 58; **8:** 35; **13:** 18
  - wind-generated noise **4:** 10; **EX 4.1:** 1; **PD 4.1**
- NOISECON (program) **4:** 10; **EX 4.1:** 1; **PD 4.1**

- nomenclature **1:** 11, 17-18; **2:** 23, 40, 47, 50-51; **3:** 34; **11:** 5, 61, 63,-64, 72, 75, 80; **13:** 3  
  - magnitude nomenclature **IS 3.2**
  - nomenclature of seismic phases **IS 2.1**
normal modes see modes  
NORSAR array **9:** 2, 5-6, 31  
Northern California Seismic Network **3:** 28  
Norwegian National Seismic Network **8:** 12, 32  
nuclear explosion see explosion  
Nyquist frequency **3:** 52; **6:** 5, 13; **7:** 17; **11:** 71  
ocean-bottom seismograph (OBS) **4:** 20  
octave **1:** 9; **3:** 6, 17, 38-40; **4:** 1, 3, 9-12, 14, 32; **5:** 20; **6:** 5; **7:** 65; **11:** 40, 42; **13:** 32  
origin time **2:** 50, 60; **3:** 6, 14-15, 28; **8:** 41; **9:** 48-49; **10:** 4; **11:** 1, 8, 13, 23  
oversampling **6:** 6-7; **8:** 17;  
overtones (see also higher modes) **2:** 12-13, 17, 21, 23; **6:** 12; **13:** 13-14  
particle motion **2:** 5, 8-12, 15-16; **11:** 19-21, 23, 35, 37, 57, 59; **EX 11.2:** 1  
pendulum  
  - pendulum clock **11:** 8; **12:** 4
  - pendulum length (reduced) **EX 5.2:** 3-4, 6
  - pendulum seismometer **4:** 18; **5:** 14-19, 25, 37
period  
  - center period **3:** 39; **4:** 9
  - corner period **11:** 11, 47; **EX 5.5:** 7
  - eigen/free/natural period **1:** 12; **3:** 24-25, 87; **4:** 1, 16-18; **5:** 18; **EX 5.2:** 2; **EX 5.4:** 3
phase  
  - Airy phase **2:** 15
  - body-wave phase **2:** 40, 43;
  - crustal (local) phases **2:** 18, 44, 46; **11:** 61, 63-65, 71; **DS 2.1:** 7, 13; **EX 11.1:** 1, 3; **IS 2.1:** 1, 7, 12-13
  - core phases **1:** 11; **2:** 50-51, 59-60, 62; **3:** 42; **4:** 13; **11:** 18, 20, 76, 80-99; **EX 11.3:** **DS 2.1:** 1, 9, 15-17
  - depth phases **1:** 11; **2:** 46, 48, 60, 67-68; **3:** 51; **11:** 13, 16, 18, 22-28, 32, 36-37, 58, 63-64, 69, 75, 77, 81, 89, 96, 99-100; **DS 2.1:** 10; **EX 11.2:** 2-4; **EX 11.3:** 2-4, 11, 14; **IS 2.1:** 3, 10; **IS 11.1:** 18, 20, 24
  - mantle phases **1:** 11; **2:** 44; **11:**14; **DS 2.1:** 8, 14-15
  - phase (mode) conversion **2:** 2, 17, 24, 33, 43, 49, 58
  - phase distortion **2:** 26, 34, 39; **8:** 6
  - phase identification/interpretation **2:** 24, 58, 60, 63; **11:** 1.2, 4, 12-14, 16, 18, 33, 54; **EX 11.1:** 2-4; **EX 11.2:** **EX 11.3**
  - phase names (seismic) **2:** 47, 49-50, 52 55, 67; **IS 2.1;** **DS 2.1**
  - phase response **IS 5.2:** 1, 5-6
  - phase shift/delay **2:** 7, 11-12, 26, 39-40; **4:** 3, 17-18, 23; **5:** 15; **6:** 8, 14; **9:** 27; **11:** 20, 36, 97; **EX 5.1:** 1; **EX 5.4:** 3;

- phase spectrum **EX 5.5:** 1; **IS 5.2:** 1, 5-6
  - phase velocity **4:** 2-4
  - secondary phases **2:** 12,15; **IS 5.1:** 5
  - seismic phases **1:** 5-6, 10; **2:** 2, 24, 43; **3:** 47-48, 65; **11:** 19, 27, 32, 34, 39, 79, 98
- **1:** 5-6, 10, 16; **2:** 1-2, 15, *17-20*, 24, 29-30, 32, 43-57, 59-61, 64; **3:** 16, 20, 22, 24, 29-31, 33-34, 42, 48, 51, 53, 70; **4:** 3; **9:** 2, 11-12, 25, 41; **11:** 1, 4-5, 7, 9, 13-14, 21, 25, 32-34, 36, 38, 70, 84, 98-99;
  - EX 11.1:** 1-7; **IS 2.1**
- plane
  - auxiliary plane **3:** 59-61, 66; **EX 3.2:** 5
  - equatorial plane **3:** 66; **EX 3.2:** 4-5
  - nodal plane **3:** 70; **EX 3.2:** 4-5; **EX 3.5:** 5
  - fault plane see fault
  - plane wave see wave
- plunge **3:** 11, 81; **EX 3.2:** 5, 7
- Poisson's ratio **2:** 3-4, 6, 8
- Poisson solid **2:** 4, 6, 12
- polarity **2:** 40; **3:** 5-6, 58-60, 62, 64, 66-67; 69-71, 81; **4:** 11, 28; **5:** 33, 38; **6:** 2; **8:** 7; **10:** 3-4; **11:** 1-2, 7, 9-11, 23, 31, 35-37, 71, 100; **EX 3.2:** 1-4; **EX 3.3:** 1, 4-5
- polarization **2:** 5, 9, 11-13, 43, 57-58; **4:** 19, 22-23, 28-29; **5:** 29; **7:** 46; **9:** 2, 45; **11:** 4, 19-22, 29, 33-35, 36, 39, 57, 61, 98-99; **13:** 26-28, 32-34; **EX 11.2:** 1
- polarization filter (see filter) **4:** 28-29
- pole
  - pole (of a plane) **3:** 66; **EX 3.2:** 4-5
  - poles of the pressure (P) and tension (T) axes **3:** 66, 68; **EX 3.3:** 1, 4, 5
  - poles and zeros (of a transfer function) **3:** 35; **5:** 5-7, 11-13, 45; **EX 5.1:** 1; **EX 5.5:** 1-6
- point source see source
- power
  - power spectral density **4:** 4-8; **7:** 26, 76, 85; **13:** 22, 24; **EX 4.1:** 2, 5-7
  - power spectrum (see spectrum) **3:** 38, 56-57; **4:** 4-6; **5:** 4
  - power consideration **7:** 2, 8; **13:** 41
  - power consumption **1:** 14; **6:** 2, 9, 15-16; **7:** 41, 43; **8:** 16; **13:** 40-41
  - power dissipation **6:** 13
  - power law **9:** 36
  - power supply **5:** 22; **6:** 18; **7:** 8, 47
  - quantization of noise power **6:** 7
- pre-amplifier **5:** 27, 31-32, 45; **6:** 2; **7:** 18, 106
- pressure **2:** 2-4, 8, 22, 31; **3:** 2, 6, 11, 60-61, 66, 69-70; **4:** 18-19, 21, 24; **5:** 20-22, 29-30, 33; **7:** 28, 33, 46, 48, 53, 63, 65, 66-68, 73, 75, 79-80, 92, 100-101, 103
- air/barometric pressure **2:** 22; **4:** 24; **5:** 21-22, 29-30, 33; **7:** 46; **13:** 38;

- confining pressure **EX 4.1:** 3, 8
  - fluid pressure **2:** 8
  - pressure (P) axis **7:** 100
  - pressure (P) pole **3:** 59-61, 66, 68-70; **EX 3.2:** 1, 4-5, 7; **EX 3.3:** 5-6
  - pressure quadrant **3:**66, 68, **EX 3.2:**, 7
  - pressure shielding see quadrant
  - wind pressure **5:** 30; **7:** 33, 67
- principal axes **7:** 28
- principal stress **3:** 11, 74, 77, 81
- processing see stress
- array processing **1:** 4, 6, 10, 12-13, 15-16; **2:** 2, 4, 61, 63; **3:** 50, 78;
  - detection processing **4:** 1, 16, 24, 30; **5:** 2-4, 8, 27, 45; **6:** 1, 10, 17; **7:** 11, 41-42, 45, 48, 85; **8:** 1, 3-4, 6-8, 10, 13, 15, 18, 20, 25, 36, 40, 49-50, 52-55, 58; **9:** 1-3, 16, 18, 38, 41, 43-45, 48; **10:** 1, 3-5, 16-17; **11:** 2-3, 5, 11-12, 36, 38-39, 41, 56, 60, 98; **12:** 11; **13:** 33
  - event processing see array
  - pre-processing **9:** 2-3, 18, 41, 44
  - signal-attribute processing **9:** 2-3, 41, 48
  - signal processing **3:** 78; **4:** 16; **11:** 39, 41
- Prototype International Data Center (PIDC) **9:** 2-3, 41, 44
- purchasing (of seismic systems and services) **3:** 78; **4:** 16; **11:** 39, 41
- Q (quality factor) **9:** 2-3, 41, 44
- Q (function) **4:** 30; **5:** 2-3, 8; **6:** 1, 10; **8:** 3, 50; **9:** 1-2, 16; **11:** 11-12, 39, 60
- quadrant **10:** 5; **11:** 29; **IS 10.3:** 1-7, 9, 14
- compressional quadrant (of first-motion polarities) **7:** 8-9, 40, 42, 66, 84; **8:** 36-39, 47-50
  - dilatational quadrant (of first-motion polarities) **2:** 37-38, 62; **3:** 40; **DS 2.1:** 1-3, 7-11; **EX 3.4:** 1
  - pressure (P) quadrant see magnitude calibration function
  - tension (T) quadrant **3:** 60; **EX 3.2:** 4; **EX 3.3:** 6
- quarry blast **3:** 59-60; **EX 3.2:** 4; **EX 3.3:** 6
- radio-frequency interference **3:** 59-61, 66, 68-70; **EX 3.2:** 1, 4-5, 7; **EX 3.3:** 5-6
- radiation pattern **3:** 59-60; **EX 3.2:** 4; **EX 3.3:** 5
- radio-frequency (RF) interference **3:** 59-61, 66, 68-70; **EX 3.2:** 1, 4-5, 7; **EX 3.3:** 5-6
- radio-frequency (RF) survey **7:** 75-76; **8:** 46
- radio-link data transmission **7:** 39-46; **8:** 45-46
- ray **8:** 44-46; **IS 8.2:** 2
- ray angle **2:** 26, 28, 40
  - ray defocusing **2:** 25, 36
  - ray diagrams **IS 2.1:** 12-17
  - ray focusing **2:** 25-26, 29, 36-37
  - ray parameter **2:** 26, 28-30; **EX 3.3:** 1-6

- ray path **2:** 25-28, 37, 39-41, 43, 47-49, 67-68; **3:** 34, 52, 59, 69; **11:** 6, 63, 69, 75-78, 80-82, 84-87, 90-97; **IS 2.1:** 13-17
  - ray propagation **IS 11.3 and related animation CD-ROM**
  - ray theory **2:** 5, 25, 33, 38, 40-41, 64
  - ray tracing **2:** 47, 50, 64
  - ray tube **2:** 36-37, 39, 64
  - seismic ray **2:** 7-9, 24-26, 29, 31, 33, 36, 39, 41, 44, 47; **3:** 54, 58; **9:** 11; **11:** 20, 66, 74, 79
- receiver (mechanical; see seismometer) **IS 5.2:** 2, 4
- recorder **1:** 4; **2:** 1, 63-64; **3:** 24, 27; **5:** 24-25, 27, 31, 34, 36, 38-39, 45; **6:** 1, 3, 8-9, 12, 15-17, 20; **7:** 6, 17, 64, 105; **8:** 4, 8-9, 15, 17-19, 27; **10:** 6, 12-14, 16-17, 20; **11:** 8; **13:** 14; **EX 5.4:** 3
- record examples
- reflection **2:** 11, 24, 26, 30, 32-34, 37, 40-43, 48, 57, 64, 67; **3:** 51, 71; **4:** 1, 30; **6:** 1, 15; **7:** 42, 102; **8:** 45; **11:** 17-18, 20, 27, 61, 72, 75, 77, 79-80, 89, 98, 100
- reflection coefficient **2:** 33, 40; **3:** 51
  - reflectivity method see methods
- refraction **2:** 26, 32, 43, 50, 68; **3:** 31, 69; **6:** 20; **7:** 12, 102, 107; **11:** 67, 72
- residual **2:** 61; **3:** 52; **5:** 39-40; **7:** 49, 106; **8:** 5; **9:** 32; **10:** 4
- residual signal **5:** 39-40; **EX 5.4:** 1
- resistor **EX 5.2:** 2-3; **EX 5.3:** 2
- resolution **1:** 9-10, 17; **2:** 29, 41, 61; **3:** 21, 27; **4:** 7, 13, 17; **6:** 1-2, 6-7, 9-10, 12-13, 19; **7:** 7, 17-18, 33, 35, 38, 65, 85; **9:** 6, 22-23, 25, 29, 33, 36; **11:** 4, 8-9, 13, 30, 41, 99; **12:** 6; **13:** 20, 29, 39-40, 42; **EX 11.1:** 3
- resonance (and resonance effects) **2:** 1, 37; **3:** 66, 4; 17-19; **5:** 27, 37; **13:** 6; **EX 5.4:** 3
- response
- amplitude response **4:** 13, 16, 18; **5:** 2, 6, 12-13, 15-16, 38; **11:** 42, 44; **EX 5.5:** 1; **IS 5.2:** 1, 5-6
  - frequency response **3:** 17, 20, 27; **4:** 3, 16; **5:** 1-3, 6-8, 41-42; **7:** 17, 25-26; **8:** 5, 7, 56; **11:** 1-2, 42; **EX 5.5:** 1; **IS 5.1:** 4
  - impulse (step) response **3:** 71; **5:** 1, 7, 13, 37-38, 45; **6:** 4, 8, 19-20; **EX 5.2:** 1, 5-6; **EX 11.1:** 5
  - instrument response **1:** 12; **2:** 64; **3:** 8, 50, 79; **4:** 16; **5:** 8
  - phase response **5:** 2, 6; **IS 5.2:** 1, 5-6
  - recorder response **IS 5.2:** 4
  - response function/curve **3:** 72; **5:** 15, 45; **6:** 2; **8:** 5-6, 30, 31, 56-57; **EX 5.1;** **IS 5.2;** **PD 5.8**
  - seismograph response **2:** 64; **5:** 2; **11:** 4, 10; **EX 5.1;** **EX 5.5**
  - seismometer response **2:** 63; **4:** 18; **11:** 10, 47; **EX 5.2:** 2, 4; **EX 5.5:** 7
  - site response **7:** 87, 89, 91, 97, 101, 103, 108
  - step response see impulse response
  - temperature response **7:** 106
  - transient response **3:** 17; **4:** 15, 17-18; **5:** 35; **11:** 10

- restitution (of the true signal) **1:** 6, 13; **3:** 17; **4:** 14; **5:** 42; **11:** 39-41, 45, 47-48, 50
- restoring force **2:** 36; **5:** 1, 13, 17-18, 20
- RF link **7:** 5, 9, 39-44, 59; **8:** 10, 45, 49; **IS 8.2:** 2
- RF survey **7:** 39, 42-43, 45-46; **8:** 45-46
- rigidity **2:** 3, 7, 13; **3:** 7, 55; **EX 3.4:** 3; **EX 3.5:** 1
- ring buffer **6:** 17; **8:** 11, 18, 20
- rise time **3:** 6, 9
- rock burst **2:** 18; **3:** 5; **11:** 1, 28; **EX 11.1:** 4, 6
- rupture **2:** 2, 6, 45, 64; **3:** 2, 4, 6, 9-15, 18, 20-22, 37-38, 41, 46, 53, 58-59, 66, 69, 71, 78-80, 82, 86-93  
**3:** 10, 12; **EX 3.4:** 4-6  
  - circular rupture **3:** 10, 12, 85; **EX 3.4:** 4, 6
  - rectangular rupture **3:** 10, 87-88; **IS 3.2:** 17; **EX 3.4:** 3-6
  - rupture area **IS 3.1:** 18
  - rupture energy **3:** 9-10, 37, 82, 87-93; **IS 3.1:** 9
  - rupture (fault)length **IS 3.1:** 10
  - rupture front **3:** 6; **IS 3.1:** 10-12
  - rupture model **3:** 59, 65-68; **EX 3.4:** 6; **EX 3.5:** 1; **IS 3.1:** 10, 16
  - rupture plane **3:** 9-10; **EX 3.4:** 6; **EX 3.5:** 1; **IS 3.1:** 1, 9-11
  - rupture propagation (anti-plane, bi-lateral, bi-directional in-plane, radial, unilateral) **5:** 7; **6:** 1-14, 16-17, 19;
  - rupture sampling **3:** 92
  - rupture time **3:** 10, 45, 87-89, 91; **EX 3.4:** 6
  - rupture width **3:** 87, 92-93; **IS 3.1:** 11
  - rupture velocity **5:** 45-46; **10:** 6-7, 15, 17-20; **13:** 41
- successive approximation register (SAC) **6:** 4
- sample device **6:** 9, 11
- sample & hold device **3:** 49; **6:** 1-14, 16-17, 19; **8:** 17-18
- sampling **7:** 94-95, 97-99  
  - geotechnical sampling **6:** 6-7; **8:** 17
  - oversampling **6:** 1, 3-8, 11-14, 16-17; **7:** 11, 17, 26, 40; **8:** 17; **9:** 16; **11:** 8, 46, 65, 69-71; 99; **13:** 37, 40
  - sampling rate (frequency) **7:** 6, 12, 59; **8:** 45
- seismic coupling **EX 5.2:** 3-4, 6
- seismic mass see noise
- seismic noise **7:** 8, 47-48, 78; **8:** 7, 33-34, 52
- seismic shelter **IS 7.2**; **IS 7.3**
- seismic sites **7:** 45, 59, 90; **8:** 1, 9-10, 13-16, 18-20, 26, 35-36, 46-47, 49-51, 55-57, 59
- seismic system **8:** 15  
  - analog seismic system **8:** 16
  - digital seismic system **8:** 15-16
  - mixed seismic system **8:** 8-10; 47, 50
  - physical seismic system **8:** 11-14
  - virtual seismic system see waves
- seismic waves **7:** 2, 4, 6, 9, 12, 31, 61
- seismo-geological conditions

- seismogram
- seismogram analysis **1:** 6, 10; **2:** 26; **3:** 70; **4:** 16; **11:** 1, 4-5, 7-8, 10, 12, 14, 24, 32, 34, 37, 39, 59, 61, 80, 99-100
  - seismogram examples **1:** 5, 11; **2:** 6, 10-11, 14, 16, 18, 20, 24, 42-43, 46-48, 50, 65-66, 68-69; **3:** 21, 39, 53; **4:** 12-14, 16-17, 22, 25-32; **7:** 21-25, 27-28, 33, 35-38, 66, 69-70, 72-74, 88; **8:** 2; **9:** 8, 1-18, 20-23, 28, 31, 34-35, 42, 46-48; **11:** 3, 9, 11-13, 15-17, 21-22, 25-28, 30, 36, 38, 40, 46-59, 62, 65-70, 72-77, 79, 81-82, 84-88, 90-91, 94-97; **13:** 3-16, 21-32; **EX 11.1:** 5-6; **EX 11.2:** 6-7; **EX 11.3:** 6-9; **DS 11.1 - DS 11.4** **2:** 2, 5, 21, 63-68; **3:** 74; **4:** 17; **IS 2.2:** 1
  - synthetic seismogram **2:** 2, 5, 21, 63-68; **3:** 74; **4:** 17; **IS 2.2:** 1
- seismometer (seismograph, seismic sensor)
- borehole seismometer **7:** 79-83
  - broadband seismometer/seismograph/sensor **1:** 5,12; **2:** 6, 47, 52, 55-56; **3:** 50; **4:** 7, 13, 17, 30; **5:** 20, 24-25, 27, 29-30, 33-34, 41-42, 44; **7:** 46-48; **8:** 5; **9:** 6-7; **11:** 2; **13:** 1, 7-8, 19-20, 24, 38; **EX 5.4:** 1, 3; **EX 5.5:** 1, 7
  - electromagnetic seismometer **EX 5.4:** 3
  - long-period (LP) seismometer **1:** 8, 12; **2:** 19; **3:** 22, 30; **4:** 16; **5:** 9, 17-18, 20, 27, 34; **7:** 81; **8:** 8; **9:** 6
  - seismometer calibration see calibration
  - short-period (SP) seismometer (records) **2:** 45, 48; **4:** 17; **5:** 32; **7:** 1, 16, 33; **8:** 29; **9:** 6, 8; **13:** 20
  - strong-motion seismometer (see also accelerometer) **7:** 61, 105; **8:** 5, 7, 18, 30
  - very broadband seismometer **8:** 5; **EX 5.5:** 7
  - weak-motion seismometer **7:** 61; **8:** 4-5
- sensor (seismic) see also seismometer, seismograph
- acceleration sensor **EX 5.5:** 7
  - active sensor **5:** 23, 28, 31, 42; **7:** 49; **8:** 6-7; 33
  - BB sensor see broadband seismometer
  - passive sensor **5:** 23-26, 31, 39, 42; **7:** 55; **8:** 6-7, 33
  - displacement sensor **3:** 49; **5:** 25; **11:** 33
  - sensor calibration **1:** 12; **5:** 34-36; **8:** 53, 56-57
  - sensor shielding see shielding
  - strong-motion sensor see accelerometer
  - weak-motion sensor **8:** 4-5
- shake table **5:** 2-3, 17, 34, 36, 41-42
- shear modulus (see rigidity)
- shielding **5:** 30; **7:** 8, 15-16, 19, 28, 33, 46-47, 55, 65-68, 71-74; **8:** 33-34; **13:** 18
- signal (definition see Glossary)
- broadband signal **5:** 2; **13:** 20; **EX 4.1:** 1
  - input/output signal **3:** 17, 27, 39, 69-70, 74, 77; **4:** 3-4, 8, 15-16, 18, 27-28; **5:** 1-3, 5,7-8, 10, 13, 24-27, 35-36, 38-40, 42-46; **6:** 1, 4-6, 8-12, 14, 19; **7:** 42-44, 48-49, 55, 81-84; **8:** 5-7, 17, 26, 33, 56; **9:** 19; **11:** 44-45;



- signal analysis **EX 5.4:** 1-3; **EX 5.5:** 1
  - signal coherence **4:** 14; **4.1:** 2
  - signal energy **9:** 17, 29; **11:** 2, 5, 51; **13:** 21
  - signal detection **EX 4.1:** 1
  - signal discrimination **9:** 2; **11:** 2, 39
  - signal filtering **13:** 22, 34
  - signal preparation **11:** 10, 39-40
  - signal processing **6:** 2
  - signal restitution see processing
  - signal-to-noise ratio **1:** 14; **3:** 17
  - signal transmission see noise
  - stationary signal **7:** 39; **13:** 39
  - transient signal (disturbance) **4:** 15; **5:** 4
- simulation **4:** 2-4, 7, 10-11, 13, 15; **5:** 6, 31, 34; **6:** 14; **EX 5.4:** 1
- SINFIT (program) **4:** 16, 18; **5:** 40; **11:** 21, 39-41, 44-45, 47-52, 58-59, 67; **13:** 6
- site effect **5:** 36, 46; **PD 5.6**
- site (and instrument) location **3:** 19; **7:** 89; **13:** 30
- site selection **7:** 1, 5, 19, 55, 63, 71, 75
- slip **1:** 13, 16; **4:** 31; **5:** 28-29; **7:** 1-2, 5, 8-9, 12, 15-17, 43, 47, 77-78, 93, 102; **8:** 7, 36, 43-47; **13:** 18; **IS 7.1**
- slip direction **3:** 2, 10-11, 12, 15, 70, 82, 88-89, 91-92
  - slip vector **3:** 10, 59-61, 65-66; **EX 3.2:** 5
  - slip velocity **3:** 11, 65; **EX 3.5:** 1; **IS 3.1:** 9
  - dip slip **3:** 13-14, 92
  - strike slip **3:** 13-14, 75
- slowness **3:** 3, 5, 11, 37, 59, 65, 67-68, 75, 88, 91
- slowness correction **2:** 26-29; **3:** 52; **9:** 2, 11-14, 17, 21-30, 32-36, 38, 42, 44-45; **11:** 1-3, 12, 14, 32, 34, 39, 52-54, 56, 63, 71, 79-80, 95, 97-100; **13:** 20, 31-32; **EX 3.3:** 1-2, 6
  - slowness estimate **9:** 32
- Snell's law **9:** 29-30, 45
- software **2:** 25-27, 33; **9:** 11
- GIANT software **1:** 9-10, 12-13, 16; **2:** 40, 63; **3:** 70; **4:** 14, 16; **5:** 38, 40, 42, 45-46; **6:** 14, 18, 20; **7:** 15, 43, 45; **8:** 4, 8, 10-13, 17, 22-23, 25-26, 36, 49-50, 53-55;
  - ORFEUS software links **10:** 6-7, 11, 14-20; **11:** 1, 4-5, 8, 10, 12, 14, 20, 32-34, 37, 39, 57-58, 60, 63, 75, 98-99; **12:** 14; **13:** 34-35, 41; **EX 5.4:** 1; **PD 4.1;** **PD5.1-5.9;** **PD 11.1-11.2**
  - PITSA software **11:** 14, 60
  - SEISAN software **11:** 60
  - SHM software **4:** 16; **5:** 45-46; **10:** 13-14, 18-19; **11:** 60; **13:** 41
- SHM software **3:** 70; **4:** 16; **10:** 4-6, 15-18, 20; **11:** 14, 33, 36-37, 60
  - SHM software **11:** 5, 14, 35, 58-59, 74

- source
- explosion source **3:** 4-6, 8-10, 67; **9:** 1, 6, 28, 31, 34
  - double-couple source model (focal mechanism) **2:** 7; **3:** 51, 59-61, 70-74, 78; **13:** 4; **EX 3.5:** 1-2; **IS 3.1:** 11
  - point source **2:** 7; **3:** 10, 43, 58-59, 71, 78-79; **IS 3.1:** 7-8, 11
  - seismic source **1:** 4, 10, 12, 15; **2:** 1-2, 17, 35, 44, 65; **3:** 1, 6-8, 10, 12, 15-18, 48, 50, 71, 74, 82, 87; **4:** 1, 15; **7:** 87; **11:** 1, 8, 10-11, 24, 28, 33, 38, 61, 63-64, 69, 99; **13:** 2, 7, 33-34; **EX 11.1:** IS 3.1
  - shear source (see also shear dislocation) **2:** 7, 39; **3:** 7-9
  - source area **3:** 3, 7, 10, 15; **EX 3.4:** 3-6
  - source depth (focal depth, hypocenter depth) **2:** 19, 43, 45, 48, 60, 64, 67-69; **3:** 7, 16, 19, 24, 31, 37, 48; **11:** 5, 13, 14, 16, 18, 22-27, 36-37, 39, 61, 66, 69, 71, 98; **EX 11.2:** 1-2, 5; **EX 11.3:** 1-3, 12-13; **IS 11.1:** 16, 18, 20-22
  - source dislocation **EX 3.4:** 3-6
  - source model **3:** 43, 69, 71, 79, 85, 91; **13:** 3, 6; **IS 3.1:** 1, 6, 14, 16
  - source parameter **1:** 15; **2:** 42, 65, 69; **3:** 1, 4, 12, 18, 25, 71, 74, 80-81, 83, 88; **11:** 1, 10, 23, 41, 54, 59, 69; **EX 3.1-3.5**
  - source process **2:** 7; **3:** 1, 4-5, 9-10, 16, 32, 38-39; **4:** 1, 20, 23; **11:** 4, 11, 17, 29, 69; **IS 3.1**
  - source radius **3:** 10; **EX 3.4:** 4-6; **IS 3.1:** 15, 18
  - source/rupture model **2:** 38; **3:** 6, 10-12, 14-15, 43, 58, 68-71, 79, 85, 87, 91; **IS 3.1:** 1, 6, 14; **4:** 16; **13:** 6
  - source pulse **2:** 2, 6; **4:** 15
  - source spectrum **2:** 39; **3:** 7-8, 17, 39, 49, 93
  - source-time function **2:** 6, 65, 68-70; **3:** 10, 73-74, 93; **EX 3.5:** 1; **IS 3.1:** 17
  - source volume **3:** 87; **IS 3.1:** 1, 4, 6-7;
- Southern California Seismic Network spectrum
- 8:** 29
  - 2:** 13, 38; **3:** 7-8, 10, 17, 36, 38-39, 45, 49-50, 52, 82, 93; **4:** 2-5, 14-15, 19, 25, 29; **5:** 7; **6:** 5-7, 12; **7:** 64, 68, 74, 85; **9:** 33; **11:** 10, 16, 52, 59, 69-70; **13:** 13, 40
  - amplitude spectrum **3:** 36, 45; **4:** 2, 4; **5:** 7
  - alias spectra see aliasing
  - frequency spectrum **4:** 15, 24-25, 28
  - Fourier spectrum **4:** 2; **11:** 70
  - noise spectrum see noise
  - phase spectrum **4:** 2-4
  - power spectrum **3:** 38; **4:** 4-8; **7:** 18, 21-24, 26, 30, 33-36, 68, 76, 85; **13:** 13
  - spectral analysis **4:** 4; **11:** 39, 60; **13:** 22, 34-35, 38
  - spectral density **4:** 2, 4-6, 8; **7:** 26, 76, 85; **13:** 3, 22, 24
  - spectral domain **2:** 22; **13:** 6, 20, 22
  - spectral plateau **3:** 8-10, 39 ; **EX 3.4:** 3, 5-6
  - spread spectrum **7:** 39-42, 45-46; **8:** 10

- speed (of seismic waves) **2:** 59, 61; **DS 2.1:** 1, 7
- SRO-LP (long-period seismograph,filter) **4:** 17; **7:** 28, 82-83; **11:** 15, 21, 41-43, 45, 47-48, 50, 81-82, 85, 88, 100; **DS 11.2:** 23, 25, 39, 41; **DS 11.3:** 1-5, 10, 17, 22-23
- station (see glossary)
- seismic station **1:** 4, 12, 15-16; **2:** 9, 15, 19, 37, 43, 48, 50, 69; **3:** 8, 18, 22, 29, 33, 58; **4:** 11, 20; **7:** 1, 4-8, 10-13, 15, 27, 31-32, 40-41, 43-47, 50, 55, 58-60, 62, 75; **8:** 1, 3-4, 7-10, 12-13, 22-25, 29, 32-34, 37-38, 41-45, 51, 53, 55; **9:** 1, 32; **10:** 6, 15; **11:** 3, 7-8, 26, 30, 44, 100; **13:** 7-8, 17-20, 26, 38, 40-41; **EX 5.5:** **2:** 68; **3:** 38-39, 47, 50; **8:** 14, 36; **9:** 17, 21, 25; **11:** 2-5, 9, 13-14, 24, 32, 35, 38, 51, 59-60, 63, 98; **13:** 21, 24, 26
  - single-station (method) **7:** 5, 10; **13:** 19
  - station access(ibility) **2:** 60; **3:** 19, 22, 24, 27
  - station correction **13:** 18 (see also **IS 7.4** and network configuration)
  - station distribution see site selection
  - station site selection **7:** 61; **8:** 4, 41; **9:** 1
  - three-component station see impulse response
- step response **EX 5.2:** 1-2
- step function/impulse **2:** 2-4, 36; **3:** 2-3, 7, 32, 36, 82, 93; **7:** 101, 103; **13:** 2-3, 8, 31, 35, 77, 88; **IS 3.1:** 2-4, 12-13; **IS 5.1:** 1, 3-8
- strain
- strain energy **3:** 32, 36
  - strain rate **3:** 82
  - strain tensor **IS 3.1:** 2-3, 12; **IS 5.1:** 1, 3, 5
- strainmeter **5:** 1; **13:** 35-36; **IS 5.1**
- stress **2:** 2-5, 36, 69; **3:** 2, 4, 6, 10-11, 15-17, 22, 36-39, 45, 48, 55-57, 69, 73, 82-84, 87-88, 90, 92-93; **5:** 21; **7:** 53, 97; **13:** 4; **IS 3.1:** 1, 3-5, 8-9, 11-17
- apparent stress **3:** 37, 55-57
  - frictional stress **IS 3.1:** 17
  - principal stress **3:** 11
  - stress direction **3:** 11
  - stress drop **3:** 4, 7, 10, 15, 17-18, 36-39, 45, 48, 55, 57, 69, 82-84, 87-88, 90, 92-93; **11:** 11, 16; **EX 3.4:** 4-6; **IS 3.1:** 14-16
  - stress-strain relationship **2:** 2, 4, 36; **IS 3.1:** 3
  - stress tensor **2:** 5; **3:** 11; **IS 3.1**
- strech module (see Young's module)
- strong motion **5:** 25; **7:** 3, 9, 19, 21, 27, 38, 40; **8:** 3-4, 6, 9, 21, 27, 38, 40;
- strong-motion accelerometer **7:** 88
  - strong-motion array **7:** 86-89, 91, 97, 102, 107
  - strong-motion borehole system **7:** 92, 104
  - strong-motion data **7:** 87-88
  - strong-motion installation **7:** 86-87, 90-92

## Index

- strong-motion instrumentation **7:** 50, 87, 93
- strong-motion network **8:** 3, 19, 21, 27
- strong-motion observations/  
monitoring/studies **7:** 87, 92
- strong-motion sensor (see also  
accelerometer) **7:** 61-62, 92, 105
- strong-motion site (response) **7:** 101, 104
- strong-motion systems **7:** 87, 92
- STS1/2 (seismometers, response) **2:** 20, 22; **4:** 10, 16.17; **5:** 19, 22, 27, 30, 40, 43;  
**7:** 26, 27, 32, 46, 65-74, 81, 84; **8:** 5, 31, 38; **11:** 20,  
41-48; **13:** 8; **DS 5.1:** 8-9; **EX 5.4:** 1; **EX 5.5:** 7  
**EX 3.4:** 3, 5-6
- surface amplification
- synthetic seismogram **2:** 2, 5, 21, 64-66, 68; **3:** 74
- system installation **8:** 50-51
- telemetry **6:** 19; **7:** 5, 8-9, 39-42, 44-45, 59; **8:** 13, 15, 33, 38-  
39, 44-45, 56; **10:** 16; **13:** 23, 40
- teleseismic distance (range) **2:** 43, 48, 65; **3:** 16, 29, 34; **4:** 20; **11:** 17-19, 24, 61,  
89, 98-99; **EX 11.2:** 1
- teleseismic record **2:** 64, 67-68; **3:** 15, 66; **11:** 38, 57-58, 99; **DS 11. 2**  
to **DS 11.4**; **EX 11.2:** 1, 6-7; **EX 11.3:** 6-9
- temperature **2:** 31; **3:** 2; **4:** 30; **5:** 19, 21-22, 29, 33; **6:** 3, 11,  
17; **7:** 8, 32, 47-49, 51, 53, 58, 61-63, 65-70, 72-73,  
75, 100, 106; **8:** 6, 33, 44, 49, 55, 57; **11:** 41; **12:** 5;  
**13:** 18, 37-39
- temperature shielding see shielding
- tension **2:** 2-3; **3:** 2, 11, 52, 59, 66, 69-70, 74, 77  
**3:** 59-61, 66, 68, 70; **EX 3.2:** 1, 4-5; **EX 3.3:** 5-6
- tension axis
- tension quadrant see quadrant
- tensor **2:** 4  
**3:** 75-76; **EX 3.5:** 2  
**2:** 64; **3:** 8, 11, 71-80; **IS 3.1:** 7-8, 12-14  
**2:** 5; **3:** 11; **IS 3.1:** 1, 3-4
- TERRASCOPE **6:** 14, 21
- thermal
  - thermal drift **5:** 21, 26, 34; **7:** 49
  - thermal equilibrium **5:** 34
  - thermal inertia **5:** 21; **7:** 53
  - thermal insulation **5:** 21; **7:** 8, 46, 49, 53, 57, 62-63, 67, 75
  - thermal noise (see noise)
  - thermal shielding **5:** 30; **7:** 15
- tilt **2:** 22; **4:** 24, 30; **5:** 18-22, 25-26, 29-30, 34, 42, 44;  
**7:** 15, 27-28, 46-48, 53, 61, 65, 74, 76, 79, 81;  
**8:** 34; **13:** 18, 36  
**13:** 35-36, 38
- tilt meter see noise
- tilt noise see noise
- tilt sensitivity **7:** 27
- TILTCAL (program) **5:** 44-45; **PD 5.5**
- time

- onset time **2:** 40, 45, 68; **3:** 22, 28; **4:** 29; **9:** 2, 9, 24, 31-32, 45, 48; **11:** 1-2, 7-9, 11, 14, 23-24, 33-35, 40, 47, 56, 61, 65, 71, 74, 98-100; **EX 11-1:** 2-3
- origin time **2:** 51, 61; **3:** 6, 14-15, 28; **8:** 41; **9:** 48-49; **10:** 4; **11:** 1, 7, 12-13, 23; **EX 11.1:** 3-4
- time accuracy **8:** 1, 27; **11:** 8, 23, 99
- time base **6:** 15, 18
- time delay **2:** 11; **8:** 9, 12, 20, 27; **9:** 12-17, 19, 22, 30-31, 45; **11:** 56
- time domain **3:** 71, 74-75, 79; **4:** 1-2, 8, 14-15; **5:** 8, 45; **6:** 8; **7:** 11, 20, 24; **9:** 23, 26-27, 29; **11:** 41; **13:** 15, 23; **EX 4.1**
- time series **3:** 72, 75; **4:** 2, 23, 27; **5:** 6, 8, 33; **6:** 3, 6, 17; **7:** 26; **9:** 18-19, 22-23, 38; **10:** 10, 15-16
- timing problem **6:** 15; **11:** 8
- transducer **5:** 10, 14-15, 17-18, 20, 23-27, 31, 34, 42, 44; **6:** 2, 20, 23-25, 27, 31, 34, 42, 44
- acceleration transducer **IS 5.2:** 2
- electromagnetic transducer **5:** 10, 23, 31; **EX 5.3:** 1
- displacement transducer **5:** 24, 27, 42; **IS 5.2:** 2
- force transducer **5:** 23-25
- transducer constant **EX 5.1:** 1; **EX 5.2:** 4, 6
- velocity transducer **IS 5.2:** 2
- transient response **3:** 17; **4:** 15, 17-18; **11:** 10
- transient signal **3:** 17; **4:** 4; **5:** 6; **6:** 14; **7:** 26; **13:** 34
- transition zone **2:** 13, 30-31, 47, 62; **3:** 40; **11:** 71
- transducer **5:** 10, 14-15, 17-18, 20, 23-25, 27, 31, 34, 42, 44; **6:** 2; **EX 5.1:** 3; **EX 5.3:** 1; **IS 5.2:** 2-3; 5
- transfer
  - data transfer/transmission **8:** 1, 10, 12, 14, 21; **10:** 10; **11:** 5, 12
  - transfer function **1:** 12; **3:** 17, 80; **4:** 1, 14; **5:** 1-2, 5-14, 27, 33-34, 36, 38-40, 42, 45; **6:** 5, 8; **8:** 57; **9:** 23-27, 33; **10:** 14; **11:** 41-44; **EX 5.1:** 1; **EX 5.4:** 2-3; **EX 5.5:** 1
- transform(ation) **2:** 39-41, 65; **3:** 4, 37, 51, 63-64, 72, 81; **4:** 1, 4-9; **5:** 4-8, 10, 15, 22; **9:** 2, 24; **11:** 14, 20, 33, 41, 54, 57, 75, 99; **13:** 13, 22, 31; **EX 4.1:** 1, 4
- fast Fourier transform (FFT) **5:** 7
- Fourier transform(ation) **3:** 72; **4:** 1, 4, 25; **5:** 5-7; **6:** 4-5; **9:** 2, 24; **13:** 13, 22; **EX 5.5:** 1
- Hilbert transform(ation) **2:** 39-40; **3:** 81; **5:** 6; **11:** 14, 33, 75, 99
- Laplace transform(ation) **5:** 4-9; **6:** 8; **EX 5.5:** 1
- of units **4:** 10; **EX 4.1**
- transformer effect **EX 5.2:** 1
- transformer generated noise **7:** 20, 23, 25, 55, 59, 64
- transmission **2:** 32-33, 37-38, 41, 65; **3:** 71; **6:** 20; **7:** 2, 8-9, 12, 39-45, 47, 50, 60; **8:** 4, 8-10, 15-16, 20-22, 25-28, 32, 36, 39-40, 44-46, 55; **10:** 1, 5-6, 10; **11:** 5; **13:** 38, 40

- data transmission see data
- transmission coefficient **2:** 37, 64
- transmission links **IS 8.2**
- travel time **2:** 1, 24-25, 27-28, 33-34, 38, 41-43, 47, 57-61; **7:** 102, 104-105; **9:** 12; **10:** 4; **11:** 12-14, 26, 59, 66, 80, 98; **13:** 4; **PD 11.2**
- reduced travel-time (curve) **2:** 29-31, 46, 58, 64-66, 68
- travel-time branch **2:** 29-32, 39-40, 68; **4:** 13; **11:** 13, 18, 89; **EX 11.3:** 2; **IS 2.1:** 1, 4
- travel-time curve **1:** 16; **2:** 1, 25, 28-36, 40-41, 43, 45-48, 51-53, 57, 65, 68; **4:** 13; **11:** 7, 13-14, 18, 22, 24, 35-37, 39, 63-64, 66, 71-72, 75, 78, 80, 83-84, 87-89, 92-93, 95, 97-98; **EX 11.1:** 7; **EX 11.2:** 8; **EX 11.3:** 10-14
- travel-time differences **4:** 31; **9:** 13; **11:** 7, 13-14, 18, 24-25, 33, 35, 37-38, 98, 100; **13:** 28; **EX 11.1:** 1-3; **EX 11.2:** 2-5, 10; **EX 11.3:** 11-13
- travel-time fit **EX 11.1:** 3-4
- travel-time model **2:** 57; 60; **11:** 5, 35-36, 98
- travel-time residual **10:** 4
- travel-time tables **2:** 49, 58-59, 64; **3:** 69; **11:** 7, 35-36, 58, 71; **EX 11.2:** 2, 10
- tremor **3:** 4; **13:** 2, 9-15, 17, 19, 22-23, 28, 30-31, 35, 37
- trigger(ed) **3:** 5-6; **4:** 11; **6:** 15; **7:** 1, 41; **8:** 9-12, 18-20, 22-23, 26-27, 29-30, 32, 40-41, 43, 52-53; **9:** 2, 18, 22, 41, 43-45; **11:** 39; **13:** 6, 38, 40-41
- coincidence trigger **8:** 10, 19-20, 27; **IS 8.1:** 15-16, 18
- detriquer threshold **IS 8.1:** 3-4; 6, 10, 12-14, 16
- false trigger **IS 8.1:** 9, 17
- STA/LTA trigger **8:** 19, 53; **9:** 18, 41; **11:** 40; **13:** 40; **IS 8.1**
- trigger algorithm **8:** 10, 18-20, 40, 53; **9:** 18; **IS 8.1:** 1-2, 4-5, 7-8, 12-16, 18
- trigger threshold **7:** 1; **8:** 19-20, 43, 53; **IS 8.1:** 6-7, 9, 11-12, 14, 19
- tsunami **3:** 36, 38, 46, 57, 92
- tsunami magnitude 46
- UKAEA array typ **9:** 6
- underground nuclear explosion (see explosion)
- UNICROP (program) **5:** 33, 46; **PD 5.7**
- vault (seismic) **4:** 24; **5:** 1, 21, 28-29; **7:** 1, 8-9, 12-13, 26, 46-64, 66, 68-76, 78; **8:** 6-7, 30, 33-35, 37, 45, 55; **13:** 39
- vault construction **7:** 61, 64, 69, 71, 73; **13:** 39
- vault-type seismic station **7:** 47-53
- vector dipoles **3:** 72-73, 77
- velocity (speed) **2:** 5-8, 12-15, 26-37, 44, 59, 62; **3:** 6, 8-9, 24, 29-31, 38, 40, 56-57, 59, 66, 69-70, 78; **4:** 22, 24, 26-27, 29; **7:** 4, 12, 37, 101-104; **8:** 42, 44, 53; **DS 2.1:** 1-11; **EX 3.2:** 1-2; **EX 3.3:** 1-2; **EX 11.1:** 1, 3
- (of seismic wave propagation) **9:** 33-36; **11:** 39, 52-53, 59, 79-80
- vespagram **13:** 2, 11-15, 17, 19, 22-23, 28, 30-31, 35, 37
- volcanic tremor **13:** 1, 3, 6, 16, 18, 21-22, 26, 31
- volcano-seismic signals

- volcano seismology  
 wall (hanging wall, foot wall)  
 wave (seismic)
- body wave  
**1:** 8, 10; **2:** 2, 5-7, 21, 24-25, 41-42, 57, 63; **3:** 4-5, 7, 16, 19-20, 22, 26, 29-30, 34-35, 51-53, 71, 78-81; **4:** 10-12, 20, 22, 29; **11:** 7-8, 10, 14-18, 35, 63-64, 67-68, 72-73, 75, 99; **13:** 24, 30; **EX 11.2:** 2; **IS 2.1:** 3-4, 12
  - channel wave  
**11:** 71
  - compressional wave  
**2:** 7; **13:** 33
  - converted wave  
**2:** 41; **11:** 64, 79
  - diffracted wave  
**2:** 41; **11:** 25
  - diving wave  
**2:** 33
  - guided wave  
**2:** 17
  - head wave  
**2:** 33, 35, 40-41, 44; **3:** 70
  - longitudinal wave  
**2:** 5; **3:** 5, 30, 61; **11:** 81, 99
  - Love wave  
**2:** 11-12, 17, 19, 43; **3:** 33, 37; **11:** 19-21, 31, 36, 58; **IS 2.1:** 3-4, 11
  - P wave  
**1:** 8; **2:** 5-9, 14, 31-32, 38-40, 43, 45, 49-50, 58, 60, 69; **3:** 5, 9, 16-17, 19, 21, 28-30, 34-36, 38-42, 45-49, 51-53, 59-60, 69, 78-79, 81; **4:** 11, 14, 22, 26, 29, 31-32; **7:** 37-38, 57, 103-104; **8:** 19; **9:** 38; **11:** 8-9, 16, 18, 20, 22, 24-25, 29, 31, 35, 37, 40, 47, 51, 56-57, 63, 71, 73, 80-81, 87, 98, 100; **13:** 4; **IS 2.2:** 3  
**3:** 42, 81; **7:** 38; **11:** 56-57, 87; **EX 11.3;** **IS 2.1:** 5-6, 9
  - PKP wave  
**2:** 8-9, 25-26, 39; **9:** 11-15, 18, 24-25, 30-32; **13:** 31, 34
  - primary wave  
**2:** 25, 44; **11:** 16
  - Rayleigh wave  
**2:** 11-15, 17, 19, 42; **3:** 31, 33, 37, 42, 48; **4:** 19, 22; **11:** 15, 20-21, 29, 36, 58, 63; **13:** 26; **IS 2.1:** 3-4, 11
  - reflected wave  
**2:** 12, 26, 34, 44-46; **4:** 29, 31;
  - refracted wave  
**2:** 48; **11:** 66
  - S wave  
**1:** 7; **2:** 5-9, 11, 17-18, 24, 32, 37-39, 41-42, 44, 46-47, 57-63; **3:** 8-10, 19-20, 33-34, 48, 51, 57-58, 60-61, 70-71, 80-81; **7:** 4, 12, 38, 103-105; **8:** 2; **11:** 16-17, 19-21, 24, 29, 33, 61, 63-65, 71, 73, 75, 81, 98-99; **IS 2.2:** 3
  - scattered wave  
**2:** 33, 66; **3:** 28
  - secondary wave  
**2:** 25, 47
  - shear wave  
**2:** 7, 11, 46; **3:** 6, 52, 62; **4:** 22; **7:** 101; **11:** 81; **12:** 18
  - surface wave  
**1:** 5-8; **2:** 5, 7, 11-17, 19-21, 24, 37, 42-43, 64, 67; **3:** 7, 9, 16, 19-22, 29-37, 46-47, 54, 71, 89; **4:** 20-

- tertiary (T) wave
  - transverse wave
  - wave attenuation
  - wave equation
  - waveform
    - waveform fitting
    - waveform modeling
    - wavefront
    - wave theory
    - wave velocity
- Wood-Anderson (seismograph, filter, response)
- World Data Center (Centre) (WDC)
- Worldwide Standard Seismograph Network (WWSSN)
- Wulff net
- WWSSN-SP (short-period seismograph, filter, response)
- WWSSN-LP (long-period seismograph, filter, response)
- Young's modulus
- zeros (see poles and zeros)
- zero-frequency seismology
- 22; **8:** 6, 19; **11:** 7, 9-10, 14-16, 19-22, 24, 27, 29, 33, 41, 63, 68, 72-73, 83, 89, 99-100; **13:** 23-24, 30; **EX 11.2:** 2-3; **IS 2.1:** 2, 3-4, 11-12  
**IS 2.1:** 11  
**2:** 48; **IS 2.1:** 3  
**2:** 37-38, 62; **3:** 8, 26; **7:** 15; **12:** 18  
**2:** 5, 11-12  
**1:** 9, 12, 15; **2:** 5-7, 26, 29, 39-41, 43, 47-48, 63-65, 67-69; **3:** 8, 15, 18-19, 36, 66, 71, 76, 78-80; **5:** 3, 7, 34, 36; **6:** 18; **7:** 1, 5, 25, 57-58; **8:** 11-12, 24, 41, 58-59; **9:** 36, 45; **10:** 1-2, 4, 6, 11-15, 17; **11:** 5, 8, 14, 16-18, 26, 33, 35, 37, 46-48, 51-52, 61, 67-70, 99; **13:** 16, 28-29, 32  
**2:** 64; **11:** 26, 69, 98-99; **EX 5.4:** 1  
**2:** 48, 63-69; **5:** 36  
**2:** 7-9, 25-26, 36-37, 39; **9:** 9; **11:** 3, 66, 91; **13:** 34  
**2:** 33, 40-41, 64  
**2:** 8-9, 11, 13-14, 21, 25, 32-33, 38, 49, 59; 62-63;  
**3:** 9, 57; **4:** 22, 29; **7:** 4, 12, 101-102, 104; **8:** 53;  
**11:** 72, 80; **12:** 18  
**1:** 7; **3:** 16, 20, 23-24, 26-27; 4: 16-17; **11:** 5, 18, 33, 41-42, 45-46, 67; **DS 11.1:** 1  
**11:** 34  
**1:** 6; **3:** 16, 23; **5:** 9, 30; **11:** 2, 5, 11, 17, 22, 33, 40-49, 51-53, 58, 77, 85-86, 100  
**3:** 62, 68; **EX 3.2:** 1-2; **EX 3.3:** 1  
**1:** 8; **3:** 33, 41-42, 45; **4:** 11-12, 14, 16-17; **7:** 65;  
**11:** 11, 17, 22, 33, 40-49, 50, 52, 77, 85-86, 100;  
**DS 11.2:** 11-12, 14, 17, 21, 34-35, 39; **DS 11.3:** 6, 12, 16-17, 20-21, 23; **DS 11.4:** 1-4  
**2:** 5; **4:** 16-17; **5:** 9, 11-13; **7:** 65; **11:** 41-46, 53, 58, 100; **DS 11.2:** 10, 22, 28, 36-37, 43; **DS 11.3:** 10-11, 13-14, 19; **EX 11.2:** 1, 7  
**2:** 3-4  
**IS 5.1:** 8